


# **OIL ANALYSIS REPORT**

LCAC-81

# LCAC-81 LUBE OIL TANK STARBOAD AFT

**Aft Lube System** 

MILITARY MIL-L-23699D (--- GAL)



## **DIAGNOSIS**

### Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor. We were unable to perform a particle count due to a high concentration of particles present in this sample.

### Wear

All component wear rates are normal.

### Contamination

Moderate concentration of visible dirt/debris present in the oil.


### **Fluid Condition**


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0865230		
Sample Date		Client Info		05 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	n.n.m	ASTM D5185m	>20	<1		
Chromium	ppm		>20	<1		
	ppm	ASTM D5185m				
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	0.0	0		
Aluminum	ppm	ASTM D5185m	>20	<1		
Lead	ppm	ASTM D5185m	>20	0		
Copper	ppm	ASTM D5185m		<1		
Tin	ppm	ASTM D5185m	>20	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		1		
Calcium	ppm	ASTM D5185m		2		
Phosphorus	ppm	ASTM D5185m		1385		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		<1		
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1		
Sodium	ppm	ASTM D5185m		<1		
Potassium	ppm	ASTM D5185m	>20	<1		
Water	%	ASTM D6304	>0.05	NEG		
FLUID DEGRADA	ATION	method	limit/base	ou uma not	historyd	history ()
				current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.5	0.87		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	MODER		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.05	NEG		
Free Water	scalar	*Visual		NEG	Submitted By:	SHA <u>W</u> N LAHEY
					Submitted By:	SHA <u>W</u> N LAI




# **OIL ANALYSIS REPORT**








# Non-ferrous Metals









Certificate 12367

Laboratory Sample No. Lab Number : 06148634

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC0865230 Unique Number : 10978712

Test Package : PLANT

Received : 15 Apr 2024 Tested : 18 Apr 2024

Diagnosed : 18 Apr 2024 - Jonathan Hester

**WALASHEK INDUSTRIAL & MARINE INC** 1428 MCKINLEY AVE NATIONAL CITY, CA

US 91950 Contact: BOB CLAGETT

bobclagett@walashek.com T:

To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: