


OIL ANALYSIS REPORT







BUS 74 Component

Diesel Engine

{not provided} (--- GAL)

DIAGNOSIS

Machine Id

Recommendation

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is SAE 40 Diesel Engine Oil. Please confirm the oil type and grade, and specify the brand of the oil on your next sample. Please specify the component make and model with your next sample.

Wear

All component wear rates are normal.

Contamination

Test for glycol is negative. There is no indication of any contamination in the oil.


Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

			Jan 2024	Aprž024		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0850965	WC0867951	
Sample Date		Client Info		14 Apr 2024	01 Jan 2024	
Machine Age	hrs	Client Info		0	0	
Oil Age	hrs	Client Info		0	0	
Oil Changed	1110	Client Info		N/A	N/A	
Sample Status				NORMAL	ABNORMAL	
			11 11 11			
CONTAMINATION	V	method	limit/base	current	history1	history2
Fuel		WC Method	>5	<1.0	1.8	
Water		WC Method	>0.2	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	52	36	
Chromium	ppm	ASTM D5185m	>20	<1	2	
Nickel	ppm	ASTM D5185m	>4	0	0	
Titanium	ppm	ASTM D5185m		0	<1	
Silver	ppm	ASTM D5185m	>3	0	0	
Aluminum	ppm	ASTM D5185m	>20	15	1 6	
Lead	ppm	ASTM D5185m	>40	0	<1	
Copper	ppm	ASTM D5185m	>330	<1	62	
Tin	ppm	ASTM D5185m	>15	<1	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
ADDITIVES Boron	maa	method ASTM D5185m	limit/base		history1	history2
	ppm	ASTM D5185m	limit/base	28	37	
Boron Barium	ppm		limit/base			
Boron Barium Molybdenum	ppm ppm	ASTM D5185m ASTM D5185m	limit/base	28 0	37 5	
Boron Barium Molybdenum Manganese	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89	37 5 47	
Boron Barium Molybdenum	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89 <1	37 5 47 5	
Boron Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89 <1 598	37 5 47 5 772	
Boron Barium Molybdenum Manganese Magnesium	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89 <1 598 1765	37 5 47 5 772 1243	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162	37 5 47 5 772 1243 714	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162 1392	37 5 47 5 772 1243 714 894	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m		28 0 89 <1 598 1765 1162 1392 4190	37 5 47 5 772 1243 714 894 2313	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162 1392 4190 current	37 5 47 5 772 1243 714 894 2313	 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162 1392 4190 current	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162 1392 4190 current 4 32	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium	ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	limit/base	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6 ▲ 65	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol INFRA-RED	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D2982	limit/base >25 >20 limit/base	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6 ▲ 65 NEG history1	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D2982 *Method *ASTM D7844	limit/base >25 >20 limit/base >3	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0 current 0.4	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6 ▲ 65 NEG history1 0.3	history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D2982	limit/base >25 >20 limit/base	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6 ▲ 65 NEG history1	history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D7844 *ASTM D7844	limit/base >25 >20 limit/base >3 >20	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0 current 0.4 7.9	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6	history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol INFRA-RED Soot % Nitration Sulfation FLUID DEGRADA	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D5185m *ASTM D5185m *ASTM D5185m *ASTM D5185m *ASTM D5185m *ASTM D2982 method *ASTM D7844 *ASTM D7624 *ASTM D7415 method	limit/base >25 >20 limit/base >3 >20 >30 limit/base	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0 current 0.4 7.9 18.8 current	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6 ▲ 65 NEG history1 0.3 9.7 20.7 history1	history2 history2 history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Glycol INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m *ASTM D7844 *ASTM D7624 *ASTM D76145	limit/base >25 >20 limit/base >3 >20 >30	28 0 89 <1 598 1765 1162 1392 4190 current 4 32 93 0.0 current 0.4 7.9 18.8	37 5 47 5 772 1243 714 894 2313 history1 ▲ 28 6	history2 history2



OIL ANALYSIS REPORT







Certificate 12367

Laboratory Sample No.

: WC0850965 Lab Number : 06149333

Unique Number : 10979411

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received

: 15 Apr 2024 **Tested** : 17 Apr 2024 Diagnosed

: 17 Apr 2024 - Wes Davis Test Package : MOB 1 (Additional Tests: Glycol, TBN)

89 BOGGAN CUT RD WADESBORO, NC US 28135

Contact: MATT POWELL powell.berkeley@anson.k12.nc.us

ANSON CO SCHOOL BUS GARAGE

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: ANSWAD [WUSCAR] 06149333 (Generated: 04/17/2024 15:01:51) Rev: 1

Contact/Location: MATT POWELL - ANSWAD

T:

F: