

# **OIL ANALYSIS REPORT**

Sample Rating Trend





VOLVO L70H 622516 Component Diesel Engine

# Fluid DIESEL ENGINE OIL SAE 15W40 (5 GAL)

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor. ( Customer Sample Comment: W02008184 )

Area

[W02008184]

# Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

## Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2	
Sample Number		Client Info		ML0001089			
Sample Date		Client Info		12 Apr 2024			
Machine Age	hrs	Client Info		10145			
Oil Age	hrs	Client Info		500			
Oil Changed		Client Info		Changed			
Sample Status				NORMAL			
CONTAMINATION	٧	method	limit/base	current	history1	history2	
Fuel		WC Method	>6.0	<1.0			
Water		WC Method	>0.1	NEG			
Glycol		WC Method		NEG			
WEAR METALS		method	limit/base	current	history1	history2	
Iron	ppm	ASTM D5185m	>100	9			
Chromium	ppm	ASTM D5185m	>100	<1			
Nickel	ppm	ASTM D5185m	>10	<1			
Titanium	ppm	ASTM D5185m	- 10	<1			
Silver	ppm	ASTM D5185m	>2	0			
Aluminum	ppm	ASTM D5185m	>10	6			
Lead	ppm	ASTM D5185m	>20	<1			
Copper	ppm	ASTM D5185m	>15	1			
Tin	ppm	ASTM D5185m	>10	<1			
Vanadium	ppm	ASTM D5185m		<1			
0.1.1							
Cadmium	ppm	ASTM D5185m		<1			
ADDITIVES	ppm	ASTM D5185m method	limit/base	<1 current	 history1	history2	
	ppm ppm		limit/base 250				
ADDITIVES		method		current	history1	history2	
ADDITIVES Boron	ppm	method ASTM D5185m	250	current 77	history1	history2	
ADDITIVES Boron Barium	ppm ppm	method ASTM D5185m ASTM D5185m	250 10	current 77 1	history1 	history2 	
ADDITIVES Boron Barium Molybdenum	ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m	250 10	current 77 1 48	history1  	history2  	
ADDITIVES Boron Barium Molybdenum Manganese	ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100	current 77 1 48 <1	history1   	history2   	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium	ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450	current 77 1 48 <1 527	history1   	history2   	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450 3000	current           77           1           48           <1           527           1740	history1	history2    	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450 3000 1150	Current 77 1 48 <1 527 1740 838	history1	history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450 3000 1150 1350	current           77           1           48           <1           527           1740           838           959	history1	history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon	ppm ppm ppm ppm ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>limit/base</b> >20	current           77           1           48           <1           527           1740           838           959           2919           current           8	history1	history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	250 10 100 450 3000 1150 1350 4250	current         77         1         48         <1         527         1740         838         959         2919         current         8         2	history1	history2 history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium	ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>limit/base</b> >20 >158 >20	current           77           1           48           <1           527           1740           838           959           2919           current           8	history1 history1	history2 history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED	ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>Imit/base</b> >20 >158 >20 <b>Imit/base</b>	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         2         1         current	history1	history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>Iimit/base</b> >20 >158 >20 <b>Iimit/base</b> >3	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         current         0.2	history1 history1 history1	history2 history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>i</b> mit/base >20 >158 >20 >158 >20	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         current         0.2         6.3	history1 history1 history1 history1	history2 history2 history2 history2 history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>Iimit/base</b> >20 >158 >20 <b>Iimit/base</b> >3	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         current         0.2	history1 history1 history1 history1	history2 history2 history2 history2 history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>i</b> mit/base >20 >158 >20 >158 >20	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         current         0.2         6.3	history1                              history1               history1            history1	history2  history2	
ADDITIVES Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	method           ASTM D5185m           ASTM D5185m	250 10 100 450 3000 1150 1350 4250 <b>Imit/base</b> >20 <b>Imit/base</b> >3 >20 >3	current         77         1         48         <1         527         1740         838         959         2919         current         8         2         1         current         0.2         6.3         21.4	history1   history1               history1 <th>history2  history2                        history2  &lt;</th>	history2  history2                        history2  <	



# **OIL ANALYSIS REPORT**

FT-IR (Direct Trend)		VISUAL		method	limit/base	current	history1	history2
30 - Oxidation		White Metal	scalar	*Visual	NONE	NONE		
25 Sulfation		Yellow Metal	scalar	*Visual	NONE	NONE		
es 20-		Precipitate	scalar	*Visual	NONE	NONE		
15-		Silt	scalar	*Visual	NONE	NONE		
10-		Debris	scalar	*Visual	NONE	NONE		
5		Sand/Dirt	scalar	*Visual	NONE	NONE		
Apr12/24	Apr12/24	Appearance	scalar	*Visual	NORML	NORML		
Ap	Ap	Odor	scalar	*Visual	NORML	NORML		
Base Number		Emulsified Water	scalar	*Visual	>0.1	NEG		
12.0		Free Water	scalar	*Visual		NEG		
		FLUID PROPER	TIES	method	limit/base	current	history1	history2
Е а 6.0-		Visc @ 100°C	cSt	ASTM D445	14.4	12.8		
4.0 Abnormal		GRAPHS						
2.0 -		Ferrous Alloys						
0.0		10 iron						
Apr12/24	C C L	8 - newsease chromium						
4	×	6						
Viscosity @ 100°C		E dd						
18 17 - Abnormal		4-						
16-		2-						
015 Base								
8 13 -		0 + 22			24			
12 - Abnormal		Apr12/24			Apr12/24			
11		Non-ferrous Meta	ls					
	100	<sup>10</sup> T						
Apr12/24	hh	copper						
		anananan tin						
		6						
		4						
		2-						
		0						
		12/24			12/24			
		Apr			Apr			
		Viscosity @ 100°	С			Base Number		
		18 17 - Abnormal			12.0	L		
		1/ Abnormal			10.0			
					( <sup>B</sup> /HOX 8.0	Base		
		15- Base 14-			Build Back Back Back Back Back Back Back Back			
	10	3 <sub>13</sub>				Abnormal		
		12 - Abnormal			2 4.0			
		11			2.0			
		10			0.0	L		
		Apr12/24			Apr12/24	Apr12/24		Apr12/24
		Ap			Ap	AF		Ap
	l chorateme	WaarChaak USA 5	1 Madia-				14/	
		WearCheck USA - 50 ML0001089	Rece		6 Apr 2024		vv	PO BOX 600
	Lab Number :		Teste	ed : 17	7 Apr 2024		C	HANTILLY, VA
	Unique Number :			nosed : 18	Apr 2024 - Don			US 20153
Certificate L23	s this sample report, c	CONST (Additional			2	(	Jontact: SERVI	ICE MANAGER
	es test methods that a						T:	(703)378-8300
	its of conformity to spe					rule (JCGM 106		F:

Report Id: WILCHA [WUSCAR] 06149824 (Generated: 04/23/2024 12:08:26) Rev: 1

Submitted By: DARRELL ANDES

Page 2 of 2