

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

VALVOLINE TRANS

Component New (Unused) Oil Fluid {not provided} (--- GAL)

DIAGNOSIS

Recommendation


This is a baseline read-out on the submitted sample.


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC06150834		
Sample Date		Client Info		16 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION	٧	method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>5	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>5	0		
Lead	ppm	ASTM D5185m	>5	0		
Copper	ppm	ASTM D5185m	>5	0		
Tin	ppm	ASTM D5185m	>5	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		373		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		4		
Calcium	ppm	ASTM D5185m		538		
Phosphorus	ppm	ASTM D5185m		644		
Zinc	ppm	ASTM D5185m		8		
Sulfur	ppm	ASTM D5185m		1208		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	4		
Sodium	ppm	ASTM D5185m		3		
Potassium	ppm	ASTM D5185m	>20	9		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		1.89		




OIL ANALYSIS REPORT

VISUAL





	VICCIAL		mounou	11111/0430	ounon	inotory i	THOLOTYE
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Apr16/24	Appearance	scalar	*Visual	NORML	NORML		
Apr1	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual		NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		26.2		
	Visc @ 100°C	cSt	ASTM D445		5.92		
	Viscosity Index (VI)	Scale	ASTM D2270		182		
	SAMPLE IMAGES	2	method	limit/base	current	history1	history2
Apr16/24 +			method	IIIIII/Dase		Thistory	TIISTOLYZ
Apr	Color					no image	no image
	Bottom					no image	no image
AA.C.P.A.	Non-ferrous Metals	5		Apri 6/24 Apri 6/24			
	Viscosity @ 40°C				Acid Number		
	100 Abbornmal (3,08) 40 20 40 20 40 40 40 40 40 40 40 40 40 4			April 6/24	Apr16/24		
Laboratory	: WearCheck USA - 50 : WC06150834				Apr		RUN MAJEE



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: HARDAVFL [WUSCAR] 06150834 (Generated: 04/19/2024 13:54:06) Rev: 1

Contact/Location: HARRUN MAJEED - HARDAVFL

F: