

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id

KAESER 8771913

Component Compressor Fluid {not provided} (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.


Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	NATION	method	limit/base	current	history1	history2
Sample Number		Client Info		KC107641		
Sample Date		Client Info		25 Jan 2024		
Machine Age	hrs	Client Info		4107		
Oil Age	hrs	Client Info		4107		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m	>3	0		
Titanium	ppm	ASTM D5185m	>3	0		
Silver	ppm	ASTM D5185m	>2	0		
Aluminum	ppm	ASTM D5185m	>10	0		
Lead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m	>50	8		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	nnm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0 <1		
Manganese Magnesium	ppm	ASTM D5185m		< 1 0		
Calcium	ppm ppm	ASTM D5185m		2		
Phosphorus		ASTM D5185m		1		
Zinc	ppm	ASTM D5185m		0		
	ppm	ASTIVI DOTODIII		U		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	2		
Water	%	ASTM D6304	>0.05	0.006		
ppm Water	ppm	ASTM D6304	>500	64		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		399		
Particles >6µm		ASTM D7647	>1300	218		
Particles >14µm		ASTM D7647	>80	30		
Particles >21µm		ASTM D7647		8		
Particles >38µm		ASTM D7647	>4	1		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>/17/13	16/15/12		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.31		



OIL ANALYSIS REPORT





50

.45


35

Jan 25/74

Abnorma 40

ŝ





Jan 25/24



Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513 MC NATTS CLEANERS Sample No. : KC107641 Received : 17 Apr 2024 6210 NORTH FLORIDA AVE Lab Number : 06152610 Tested TAMPA, FL : 22 Apr 2024 Unique Number : 10982688 Diagnosed : 22 Apr 2024 - Don Baldridge US 33604 Contact: Service Manager Test Package : IND 2 Certificate 12367 To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: Service Manager - MCNTAM Page 2 of 2

T: F: