

# **OIL ANALYSIS REPORT**

## Area AEON 9000 GARDNER DENVER M97475 - ITALGRANI

Component Compressor

#### DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear


All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the component.

## Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.




SAMPLE INFORM	<b>MATION</b>	method	limit/base	current	history1	history2	
Sample Number		Client Info		JHF0000100	UCH05988193		
Sample Date		Client Info		11 Apr 2024	12 Oct 2023		
Machine Age	hrs	Client Info		46294	45756		
Oil Age	hrs	Client Info		0	1509		
Oil Changed		Client Info		Changed	Not Changd		
Sample Status				NORMAL	NORMAL		
CONTAMINATION		method	limit/base	current	history1	history2	
Water		WC Method	>0.1	NEG	NEG		
WEAR METALS		method	limit/base	current	history1	history2	
Iron	ppm	ASTM D5185m	>50	0	0		
Chromium	ppm	ASTM D5185m	>10	<1	<1		
Nickel	ppm	ASTM D5185m		0	0		
Titanium	ppm	ASTM D5185m		<1	0		
Silver	ppm	ASTM D5185m		<1	0		
Aluminum	ppm	ASTM D5185m	>25	1	0		
Lead	ppm	ASTM D5185m	>25	<1	0		
Copper	ppm	ASTM D5185m	>50	<1	0		
Tin	ppm	ASTM D5185m	>15	<1	0		
Vanadium	ppm	ASTM D5185m		<1	0		
Cadmium	ppm	ASTM D5185m		<1	0		
ADDITIVES		method	limit/base	current	history1	history2	
Boron	ppm	ASTM D5185m	0	0	0		
Barium	ppm	ASTM D5185m	0	10	1		
Molybdenum	ppm	ASTM D5185m	0	0	0		
Manganese	ppm	ASTM D5185m		0	0		
Magnesium	ppm	ASTM D5185m	0	<1	<1		
Calcium	ppm	ASTM D5185m	0	3	<1		
Phosphorus	ppm	ASTM D5185m	800	727	701		
Zinc	ppm	ASTM D5185m	0	0	0		
Sulfur	ppm	ASTM D5185m	0	0	14		
CONTAMINANTS		method	limit/base	current	history1	history2	
Silicon	ppm	ASTM D5185m	>25	5	2		
Sodium	ppm	ASTM D5185m		1	0		
Potassium	ppm	ASTM D5185m	>20	2	<1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2	
Acid Number (AN)	mg KOH/g	ASTM D8045	.170	0.45	0.36		

Sample Rating Trend



# **OIL ANALYSIS REPORT**

VISUAI



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE	NONE	
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
	Precipitate	scalar	*Visual	NONE	NONE	NONE	
	Silt	scalar	*Visual	NONE	NONE	NONE	
	Debris	scalar	*Visual	NONE	NONE	NONE	
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
1/24	Appearance	scalar	*Visual	NORML	NORML	NORML	
April 1/24	Odor		*Visual	NORML	NORML	NORML	
	Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
	Free Water		*Visual		NEG	NEG	
				11 1. 1			
	FLUID PROPERT		method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	49.01	48.5	47.8	
	SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Apr11/24	Color						no image
	Bottom						no image
	Non-ferrous Metal	s		Apri 1/24			
	Viscosity @ 40°C			(2.50 (2.90) (2.00) (2.	Acid Numb	er	
	Cooperation of the server of t			(\$,2,5( 4,0,2,0) (\$,1,5( 4,0,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	Abnormal Base 12727 1200		
Laboratory Sample No. Lab Number Unique Number Test Package discuss this sample report,	: 10989956 : IND 2	Receiv Testec Diagno	ved : 19 d : 22 osed : 23	Apr 2024 Apr 2024 Apr 2024 - Se	4700 LEBOURGET STREE SAINT LOUIS, M		

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: RACHEL VON HATTEN - UCJOHSAI

Page 2 of 2

F: (314)874-0965