


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id 041524C-05 Compor Fluid

{not provided} (--- GAL)

Recommendation

This is a baseline read-out on the submitted sample.

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC06155471		
Sample Date		Client Info		15 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION	٧	method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m		10		
Chromium	ppm	ASTM D5185m		<1		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m		0		
Lead	ppm	ASTM D5185m		0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m		0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		5		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		4		
Phosphorus	ppm	ASTM D5185m		4		
Zinc	ppm	ASTM D5185m		6		
Sulfur	ppm	ASTM D5185m		86		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		<1		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	HAZY		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	TOTAVIL	NEG		
Free Water	scalar	*Visual		NEG		
:43:58) Rev: 1	odaidi	riodai			ation: RYAN WE	DGE - XAEMI



OIL ANALYSIS REPORT

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image
GRAPHS					



Certificate L2367

Lab Number : 06155471

Sample No. : WC06155471 Unique Number : 10990894 Test Package : TEST (Additional Tests: ICP)

Laboratory: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 19 Apr 2024 Tested

: 24 Apr 2024 Diagnosed : 24 Apr 2024 - Jonathan Hester

MIDLAND, MI US 48642 Contact: RYAN WEDGE rwedge@xaerusfluids.com

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

T: (989)493-0982

XAERUS FLUIDS

2825 SCHUETTE RD

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) Report Id: XAEMID [WUSCAR] 06155471 (Generated: 04/24/2024 12:43:58) Rev: 1

Contact/Location: RYAN WEDGE - XAEMID