


# **OIL ANALYSIS REPORT**

Sample Rating Trend



Machine Id

# 1867665 (S/N 1431) Component Compressor

KAESER SIGMA (OEM) M-460 (--- GAL)

## **DIAGNOSIS**

#### Recommendation

No corrective action is recommended at this time. Oil and filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

## Contamination

There is a high amount of particulates present in the oil.

#### **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.

		<u> </u>	Aug <sup>2</sup> 023	Apr2024		
SAMPLE INFORM	MATION	method	limit/base	ourront	hiotonyt	hiotony?
	MATION		iimiybase	current	history1	history2
Sample Number		Client Info		KCPA016332	KCPA003863	
Sample Date		Client Info		09 Apr 2024	29 Aug 2023	
Machine Age	hrs	Client Info		39361	38905	
Oil Age	hrs	Client Info		0	0	
Oil Changed		Client Info		Changed	N/A	
Sample Status				ABNORMAL	ABNORMAL	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	2	0	
Chromium	ppm	ASTM D5185m	>10	<1	0	
Nickel	ppm	ASTM D5185m	>3	<1	0	
Titanium	ppm	ASTM D5185m	>3	<1	0	
Silver	ppm	ASTM D5185m	>2	0	0	
Aluminum	ppm	ASTM D5185m	>10	2	3	
Lead	ppm	ASTM D5185m	>10	<1	0	
Copper	ppm	ASTM D5185m	>50	2	6	
Tin	ppm	ASTM D5185m	>10	<1	0	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		<1	0	
ADDITIVES	1-1-	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0	0	
Barium	ppm	ASTM D5185m	90	14	0	
Molybdenum	ppm	ASTM D5185m	0	<1	0	
Manganese	ppm	ASTM D5185m		<1	0	
Magnesium	ppm	ASTM D5185m	100	51	<1	
Calcium	ppm	ASTM D5185m	0	5	0	
Phosphorus	ppm	ASTM D5185m	0	4	4	
Zinc	ppm	ASTM D5185m	0	20	0	
Sulfur	ppm	ASTM D5185m	23500	20330	21494	
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	6	<1	
Sodium	ppm	ASTM D5185m		14	2	
Potassium	ppm	ASTM D5185m	>20	2	0	
Water	%	ASTM D6304	>0.05	0.016	0.003	
ppm Water	ppm	ASTM D6304	>500	167	29.1	
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		32226	82939	
Particles >6µm		ASTM D7647	>1300	<u> </u>	△ 50067	
Particles >14μm		ASTM D7647	>80	1733	<u>▲</u> 13248	
Particles >21µm		ASTM D7647	>20	<b>437</b>	<u>4663</u>	
Particles >38μm		ASTM D7647	>4	<u> </u>	<b>▲</b> 173	
Particles >71μm		ASTM D7647	>3	0	3	
Oil Cleanliness		ISO 4406 (c)	>/17/13	<u>22/21/18</u>	<u>4</u> 24/23/21	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	1.0	0.44	0.44	



## OIL ANALYSIS REPORT







Certificate 12367

Laboratory Sample No.

Lab Number Unique Number : 10993889

: KCPA016332 : 06158466

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 23 Apr 2024 **Tested** : 25 Apr 2024 Diagnosed

: 25 Apr 2024 - Angela Borella Test Package : IND 2 ( Additional Tests: KF, PrtCount )

To discuss this sample report, contact Customer Service at 1-800-237-1369.

 $^st$  - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**BP QUALITY PAINT AND BODY** 

739 N BEN MADDOX WAY VISALIA, CA

US 93292 Contact: J KAMINSKI

jkaminski@qpbonline.com T:

F:

Contact/Location: J KAMINSKI - BPQVIS