

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id

CHLORIDE TEST - MIXED

Component New (Unused) Oil Fluid

{not provided} (--- GAL)

DIAGNOSIS

A Recommendation

Resample at the next service interval to monitor. Chlorine 0.0 ppm.

Wear

All component wear rates are normal.

Contamination

There is a high amount of silt (particulates < 14 microns in size) present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		USP0006466		
Sample Date		Client Info		11 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>5	10		
Chromium	ppm	ASTM D5185m	>5	<1		
Nickel	ppm	ASTM D5185m	>5	<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>5	2		
Lead	ppm	ASTM D5185m	>5	- <1		
Copper	ppm	ASTM D5185m	>5	<1		
Tin	ppm	ASTM D5185m	>5	<1		
Vanadium	ppm	ASTM D5185m	-	<1		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		- <1		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		4		
Phosphorus	ppm	ASTM D5185m		304		
Zinc	ppm	ASTM D5185m		7		
Sulfur	ppm	ASTM D5185m		553		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon			>15	2		
Sodium	ppm	ASTM D5185m ASTM D5185m	>10	2		
	ppm		. 00			
Potassium	ppm	ASTM D5185m	>20	1		
Chlorine Content	ppm	ASTM D5185m		0.000		
Water ppm Water	% ppm	ASTM D6304 ASTM D6304		0.003 32		
FLUID CLEANLIN			limit/baca			
	200	method	limit/base		history1	history2
Particles >4µm		ASTM D7647	>5000	▲ 52261		
Particles >6µm		ASTM D7647	>1300	▲ 3744		
Particles >14µm		ASTM D7647	>160	8		
Particles >21µm		ASTM D7647	>40	2		
Particles >38µm		ASTM D7647	>10	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	A 23/19/10		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.139		

Report Id: TYSWAV [WUSCAR] 06159161 (Generated: 04/26/2024 13:44:11) Rev: 2

Contact/Location: KURT CONRADT - TYSWAV



OIL ANALYSIS REPORT



Report Id: TYSWAV [WUSCAR] 06159161 (Generated: 04/26/2024 13:44:11) Rev: 2

Contact/Location: KURT CONRADT - TYSWAV