

# **OIL ANALYSIS REPORT**

Sample Rating Trend



NORMAL



Machine Id
BOBSP 7354

Component **Gearbox** 

Fluid

MOBIL MOBILGEAR 600 XP ISO 150 (--- GAL)

### DIAGNOSIS

## Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

## Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

## **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

AL)	2017 Mar2018 Aug2018 Jan2019 Jun2019 Nov2019 Jun2020 Onc2021					
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PTK0001400	PTK0000358	PTK0000298
Sample Date		Client Info		19 Apr 2024	09 Nov 2023	13 Jun 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	ABNORMAL	NORMAL
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	5	2	2
Chromium	ppm	ASTM D5185m	>10	<1	0	0
Nickel	ppm	ASTM D5185m	>10	1	0	0
Titanium	ppm	ASTM D5185m		<1	0	0
Silver	ppm	ASTM D5185m		<1	0	0
Aluminum	ppm	ASTM D5185m	>25	2	0	0
Lead	ppm	ASTM D5185m	>50	2	0	0
Copper	ppm	ASTM D5185m	>200	2	<1	<1
Tin	ppm	ASTM D5185m	>10	1	0	0
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		<1	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	2
Barium	ppm	ASTM D5185m		<1	0	2
Molybdenum	ppm	ASTM D5185m		1	0	0
Manganese	ppm	ASTM D5185m		<1	<1	0
Magnesium	ppm	ASTM D5185m		<1	1	<1
Calcium	ppm	ASTM D5185m		6	0	2
Phosphorus	ppm	ASTM D5185m		286	281	309
Zinc	ppm	ASTM D5185m		5	<1	6
Sulfur	ppm	ASTM D5185m		15815	13769	17412
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	3	3	1
Sodium	ppm	ASTM D5185m		0	<1	0
Potassium	ppm	ASTM D5185m		1	2	1
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		1038	43127	1460
Particles >6µm		ASTM D7647	>2500	213	<u>▲</u> 14366	608
Particles >14μm		ASTM D7647	>320	22	284	105
Particles >21µm		ASTM D7647	>80	6	25	34
Particles >38µm		ASTM D7647	>20	0	0	1
Particles >71µm		ASTM D7647	>4	0	0	0
Oil Cleanliness		ISO 4406 (c)	>18/15	15/12	<u>^</u> 21/15	16/14
FLUID DEGRADA	TION	method	limit/base	current	history1	history2

Acid Number (AN)

mg KOH/g ASTM D8045

74

0.65


0.74


Report Id: GRAELK [WUSCAR] 06159788 (Generated: 04/26/2024 11:47:06) Rev: 1


Contact/Location: TONY HILDY - GRAELK




## **OIL ANALYSIS REPORT**










VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	LIGHT
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
<b>Emulsified Water</b>	scalar	*Visual	>0.2	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG
FLUID PROPERT	TES	method	limit/base	current	history1	history2
					•	,
Visc @ 40°C	cSt	ASTM D445	150	155	131	154

Color		
Bottom		

SAMPLE IMAGES









Certificate 12367

Laboratory Sample No.

: PTK0001400 Lab Number : 06159788 Unique Number : 10995211

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 24 Apr 2024 **Tested** : 25 Apr 2024 : 25 Apr 2024 - Wes Davis

Diagnosed

Test Package : MOB 2 ( Additional Tests: PrtCount ) To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**GRAPHIC PACKAGING** 

1500 NICHOLAS BLVD ELK GROVE, IL

US 60017 Contact: TONY HILDY

anthonyhildy@graphicpkg.com

T: (847)437-1700 F:

Contact/Location: TONY HILDY - GRAELK