

OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



RO NFDM [1958704] RO02PP61BB01

Bearing

MOBIL SHC 626 (--- QTS)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition


The condition of the oil is suitable for further service.


SAMPLE INFORM	IAT <u>ION</u>	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0927360	WC0864104	WC0747532
Sample Date		Client Info		18 Apr 2024	18 Oct 2023	17 Oct 2022
Machine Age	hrs	Client Info		0	8	8
Oil Age	hrs	Client Info		0	8	8
Oil Changed	1110	Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	ABNORMAL
	J	method	limit/base	current	history1	history2
Water	'	WC Method		NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>20	<1	0	<1
Chromium	ppm	ASTM D5185m		0	0	0
Nickel	ppm	ASTM D5185m	>20	0	0	0
Γitanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m		0	<1	<1
_ead	ppm	ASTM D5185m	>20	0	<1	0
Copper	ppm	ASTM D5185m	>20	<1	<1	<1
Γin	ppm	ASTM D5185m	>20	0	<1	<1
/anadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese	ppm	ASTM D5185m		<1	<1	<1
Magnesium	ppm	ASTM D5185m		0	10	0
Calcium	ppm	ASTM D5185m		4	4	8
Phosphorus	ppm	ASTM D5185m		449	427	446
Zinc	ppm	ASTM D5185m		3	0	7
Sulfur	ppm	ASTM D5185m		616	519	735
CONTAMINANTS						
CONTAMINANTS		method	limit/base	current	history1	history2
	ppm	method ASTM D5185m		current	history1	history2 <1
Silicon					•	,
Silicon Sodium Potassium	ppm ppm ppm	ASTM D5185m		<1	<1	<1
Silicon Sodium	ppm	ASTM D5185m ASTM D5185m	>15	<1 <1	<1 <1	<1 1
Silicon Sodium Potassium VISUAL	ppm	ASTM D5185m ASTM D5185m ASTM D5185m	>15 >20	<1 <1 0	<1 <1 <1	<1 1 0
Silicon Sodium Potassium VISUAL White Metal	ppm	ASTM D5185m ASTM D5185m ASTM D5185m method	>15 >20 limit/base	<1 <1 0	<1 <1 <1 <1 history1	<1 1 0 history2
Silicon Sodium Potassium VISUAL White Metal Yellow Metal	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual	>15 >20 limit/base NONE	<1 <1 0 current	<1 <1 <1 <1 <1 NONE	<1 1 0 history2 NONE
Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate	ppm ppm scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual	>15 >20 limit/base NONE NONE	<1 <1 0 current NONE NONE	<1 <1 <1 <1 history1 NONE NONE	<1 1 0 history2 NONE NONE
Silicon Sodium Potassium VISUAL White Metal Vellow Metal Precipitate Silt	ppm ppm scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual *Visual *Visual	>15 >20 limit/base NONE NONE NONE	<1 <1 0 current NONE NONE NONE	<1 <1 <1 <1 NONE NONE NONE	<1 1 0 history2 NONE NONE NONE
Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris	ppm ppm scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual *Visual *Visual *Visual	>15 >20 limit/base NONE NONE NONE NONE	<1 <1 0 current NONE NONE NONE NONE	<1 <1 <1 <1 NONE NONE NONE NONE NONE	<1 1 0 history2 NONE NONE NONE NONE
Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt	ppm ppm scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual *Visual *Visual *Visual *Visual *Visual	>15 >20 limit/base NONE NONE NONE NONE NONE NONE	<1 <1 0 current NONE NONE NONE NONE NONE NONE NONE	<1 <1 <1 <1 NONE NONE NONE NONE NONE NONE NONE NON	<1 1 0 history2 NONE NONE NONE NONE NONE NONE MODER
Silicon Sodium Potassium VISUAL White Metal Vellow Metal Precipitate Silt Debris Sand/Dirt Appearance	ppm ppm scalar scalar scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual	>15 >20 limit/base NONE NONE NONE NONE NONE NONE NONE NON	<1 <1 0 current NONE NONE NONE NONE NONE NONE NONE NON	<1 <1 <1 history1 NONE NONE NONE NONE NONE NONE NONE NON	<1 1 0 history2 NONE NONE NONE NONE NONE NONE NONE NON
Silicon Sodium Potassium	ppm ppm scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m method *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	>15 >20 limit/base NONE NONE NONE NONE NONE NONE NONE NON	<1 <1 0 current NONE NONE NONE NONE NONE NONE NONE NON	<1 <1 <1 <1 NONE NONE NONE NONE NONE NONE NONE NON	<1 1 0 history2 NONE NONE NONE NONE NONE NONE NONE NON



OIL ANALYSIS REPORT









Laboratory Sample No. Test Package : IND 1

: WC0927360 Lab Number : 06160858 Unique Number : 10996281

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 25 Apr 2024 **Tested**

: 26 Apr 2024

: 29 Apr 2024 - Don Baldridge

Diagnosed

Contact: ERIC KLINE EKLINE@LEPRINOFOODS.COM

LEPRINO FOODS-GREELEY

Certificate 12367 To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) F: (970)347-5190

1302 1ST AVE

GREELEY, CO

US 80631-5909