


## **OIL ANALYSIS REPORT**

Sample Rating Trend



Machine Id

108-68 - 05082402

Component Fluid

Fluid

{not provided} (--- GAL)

## Recommendation

This is a baseline read-out on the submitted sample.

SAMPLE INFORM	IATI <u>ON</u>	method	limit/base	current	history1	history2
Sample Number		Client Info		WC06176024		
Sample Date		Client Info		08 May 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water	•	WC Method	Sass	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m		0		
Chromium	ppm	ASTM D5185m		0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m		0		
Lead	ppm	ASTM D5185m		0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m		0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		1		
Phosphorus	ppm	ASTM D5185m		0		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		14		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		2		
Sodium	ppm	ASTM D5185m		<1		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water Free Water	scalar	*Visual		NEG NEG		
	scalar					



## **OIL ANALYSIS REPORT**

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image
GRAPHS					



Laboratory: WearCheck USA - 501 Madison Ave., Cary, NC 27513 **Sample No.** : WC06176024

Lab Number : 06176024 Unique Number : 11022077

Received : 10 May 2024 Tested : 10 May 2024

Diagnosed : 10 May 2024 - Doug Bogart

2825 SCHUETTE RD MIDLAND, MI US 48642 Contact: BRYAN DOLE

bdole@xaerusfluids.com

**XAERUS FLUIDS** 

Test Package : TEST ( Additional Tests: ICP ) Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: XAEMID [WUSCAR] 06176024 (Generated: 05/10/2024 15:17:47) Rev: 1

Contact/Location: BRYAN DOLE - XAEMID

T:

F: