

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id V-936 Component Left Final Drive Fluid GEAR OIL SAE 80W90 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. Please specify the component make and model with your next sample. Please specify the brand, type, and viscosity of the oil on your next sample.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.


Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0900242		
Sample Date		Client Info		14 May 2024		
Machine Age	hrs	Client Info		690		
Oil Age	hrs	Client Info		690		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	381		
Chromium	ppm	ASTM D5185m	>10	9		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	<1		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	17		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	400	0		
Barium	ppm	ASTM D5185m	200	2		
Molybdenum	ppm	ASTM D5185m	12	<1		
Manganese	ppm	ASTM D5185m		8		
Magnesium	ppm	ASTM D5185m	12	2		
Calcium	ppm	ASTM D5185m	150	52		
Phosphorus	ppm	ASTM D5185m	1650	392		
Zinc	ppm	ASTM D5185m	125	35		
Sulfur	ppm	ASTM D5185m	22500	25127		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	6		
Sodium	ppm	ASTM D5185m	>170	27		
Potassium	ppm	ASTM D5185m	>20	10		
VISUAL		method				history2
		methou	limit/base	current	history1	THSTOLYZ
White Metal	scalar	*Visual	NONE	current NONE	history1	
White Metal Yellow Metal	scalar scalar				,	
Yellow Metal		*Visual	NONE	NONE		
Yellow Metal Precipitate	scalar	*Visual *Visual	NONE NONE	NONE NONE		
Yellow Metal Precipitate Silt	scalar scalar	*Visual *Visual *Visual	NONE NONE NONE	NONE NONE NONE		
	scalar scalar scalar	*Visual *Visual *Visual *Visual	NONE NONE NONE NONE	NONE NONE NONE NONE		
Yellow Metal Precipitate Silt Debris Sand/Dirt	scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE	NONE NONE NONE NONE NONE		
Yellow Metal Precipitate Silt Debris	scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NONE	NONE NONE NONE NONE NONE NONE		
Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance	scalar scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NONE NORE	NONE NONE NONE NONE NONE NONE NORML	 	



OIL ANALYSIS REPORT



FLUID PROPE	RTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	143	189		
SAMPLE IMAG	ES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image
GRAPHS			L			
Ferrous Alloys	tals		May14/24 May14/24 May14/24			
: WearCheck USA - : WC0900242 er : 06180519 er : 11031845 je : CONST ort, contact Customer Se	Rece Test Diag	eived : 15 ed : 16 nosed : 16	5 May 2024 5 May 2024 May 2024 - V		4201 FAYI	JKE LAZZAF ETTEVILLE F RALEIGH, N US 276 US 276 t: NICK DIXC

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: DUKRAL [WUSCAR] 06180519 (Generated: 05/16/2024 13:31:39) Rev: 1

Certificate L2367

Contact/Location: NICK DIXON - DUKRAL

F:

T: (919)760-7797