

Machine Id
COMP 5 (S/N 1029)

Component
Air Compressor

Fluid
TULCO LUBSOIL SYN FG COMPRESSOR 46 (48 GAL)

DIAGNOSIS

Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is a high amount of particulates present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			TO40000361	TO40000353	TO50000255
Sample Date	Client Info			10 May 2024	21 Mar 2024	22 Sep 2021
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed	Client Info			N/A	N/A	N/A
Sample Status				ABNORMAL	ABNORMAL	NORMAL

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	1	<1	1
Chromium	ppm	ASTM D5185m	>4	<1	0	0
Nickel	ppm	ASTM D5185m	>4	0	<1	0
Titanium	ppm	ASTM D5185m	>3	<1	0	0
Silver	ppm	ASTM D5185m	>2	<1	0	<1
Aluminum	ppm	ASTM D5185m	>10	<1	<1	0
Lead	ppm	ASTM D5185m	>20	0	0	0
Copper	ppm	ASTM D5185m	>40	9	3	5
Tin	ppm	ASTM D5185m	>5	<1	<1	0
Antimony	ppm	ASTM D5185m		---	---	<1
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0






ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	<1
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		<1	0	0
Manganese	ppm	ASTM D5185m		<1	<1	0
Magnesium	ppm	ASTM D5185m		0	0	0
Calcium	ppm	ASTM D5185m		45	0	0
Phosphorus	ppm	ASTM D5185m	325	181	803	79
Zinc	ppm	ASTM D5185m		11	22	114
Sulfur	ppm	ASTM D5185m		51	532	84

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1	0	0
Sodium	ppm	ASTM D5185m		<1	2	0
Potassium	ppm	ASTM D5185m	>20	0	<1	0
Water	%	ASTM D6304	>0.6	0.004	0.001	0.003
ppm Water	ppm	ASTM D6304	>6000	45	15	27.1

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		10089	51422	1874
Particles >6µm		ASTM D7647	>1300	▲ 2652	▲ 9428	225
Particles >14µm		ASTM D7647	>80	▲ 131	▲ 298	12
Particles >21µm		ASTM D7647	>20	▲ 41	▲ 60	3
Particles >38µm		ASTM D7647	>4	3	2	0
Particles >71µm		ASTM D7647	>3	0	0	0
Oil Cleanliness		ISO 4406 (c)	>--/17/13	▲ 21/19/14	▲ 23/20/15	18/15/11

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.8	0.31	0.27	0.324


OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	LIGHT	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.6	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 40°C	cSt	ASTM D445	44.8	43.2	43.8	47.9
Visc @ 100°C	cSt	ASTM D445	7.8	7.4	7.1	8.24
Viscosity Index (VI)	Scale	ASTM D2270	146	136	122	146

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



GRAPHS



Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : TO40000361
Lab Number : 06182805
Unique Number : 11034131
Test Package : IND 2 (Additional Tests: KF, KV100, PrtCount, VI)
Received : 17 May 2024
Tested : 22 May 2024
Diagnosed : 22 May 2024 - Don Baldrige

FRESH EXPRESS - MORROW
 1361 SOUTHERN ROAD
 MORROW, GA
 US 30260

To discuss this sample report, contact Customer Service at 1-800-237-1369.

Contact: FERNANDO VILLASENOR
 fvillasenor@freshexpress.com

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

T: (678)422-4080

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: x: