




# OIL ANALYSIS REPORT

Sample Rating Trend



**NORMAL**



Area

[1972519]

Machine Id

WP04-MV02 (S/N 31990061)

Component

Hydraulic System

Fluid

JAX PREMIUM HYDRAULIC OIL ISO 68 (--- GAL)

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.

### Fluid Condition

Confirm oil type. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	<b>WC0891453</b>	WC0891447	WC0827143
Sample Date	Client Info	<b>10 May 2024</b>	07 Mar 2024	08 Feb 2024
Machine Age	yrs Client Info	<b>0</b>	0	0
Oil Age	yrs Client Info	<b>0</b>	0	0
Oil Changed	Client Info	<b>N/A</b>	N/A	N/A
Sample Status		<b>NORMAL</b>	ATTENTION	ABNORMAL

## CONTAMINATION

method	limit/base	current	history1	history2
Water	WC Method >0.05	<b>NEG</b>	NEG	NEG

## WEAR METALS

method	limit/base	current	history1	history2
Iron	ppm ASTM D5185m >20	<b>&lt;1</b>	1	0
Chromium	ppm ASTM D5185m >20	<b>0</b>	<1	<1
Nickel	ppm ASTM D5185m >20	<b>&lt;1</b>	<1	0
Titanium	ppm ASTM D5185m	<b>0</b>	<1	0
Silver	ppm ASTM D5185m	<b>0</b>	<1	0
Aluminum	ppm ASTM D5185m >20	<b>&lt;1</b>	2	1
Lead	ppm ASTM D5185m >20	<b>0</b>	1	0
Copper	ppm ASTM D5185m >20	<b>2</b>	1	<1
Tin	ppm ASTM D5185m >20	<b>&lt;1</b>	1	<1
Vanadium	ppm ASTM D5185m	<b>0</b>	<1	0
Cadmium	ppm ASTM D5185m	<b>0</b>	<1	0

## ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm ASTM D5185m	<b>0</b>	0	0
Barium	ppm ASTM D5185m	<b>0</b>	0	3
Molybdenum	ppm ASTM D5185m	<b>0</b>	<1	0
Manganese	ppm ASTM D5185m	<b>&lt;1</b>	<1	0
Magnesium	ppm ASTM D5185m	<b>0</b>	<1	2
Calcium	ppm ASTM D5185m	<b>61</b>	64	61
Phosphorus	ppm ASTM D5185m	<b>329</b>	342	320
Zinc	ppm ASTM D5185m	<b>535</b>	527	543
Sulfur	ppm ASTM D5185m	<b>1352</b>	1207	1423

## CONTAMINANTS

method	limit/base	current	history1	history2
Silicon	ppm ASTM D5185m >15	<b>1</b>	2	<1
Sodium	ppm ASTM D5185m	<b>7</b>	5	0
Potassium	ppm ASTM D5185m >20	<b>2</b>	2	2

## FLUID CLEANLINESS





method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647 >5000	<b>4919</b>	6512	11599
Particles >6µm	ASTM D7647 >1300	<b>868</b>	800	3064
Particles >14µm	ASTM D7647 >160	<b>26</b>	37	202
Particles >21µm	ASTM D7647 >40	<b>4</b>	7	49
Particles >38µm	ASTM D7647 >10	<b>0</b>	0	3
Particles >71µm	ASTM D7647 >3	<b>0</b>	0	0
Oil Cleanliness	ISO 4406 (c) >19/17/14	<b>19/17/12</b>	20/17/12	21/19/15

## FLUID DEGRADATION

method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g ASTM D8045	<b>0.44</b>	0.59	0.46




# OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.05	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445 68.0	46.4	47.7	46.8

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0891453      **Received** : 20 May 2024  
**Lab Number** : 06184957      **Tested** : 22 May 2024  
**Unique Number** : 11036283      **Diagnosed** : 22 May 2024 - Don Baldrige  
**Test Package** : IND 2

**LEPRINO FOODS - LEMOORE EAST**  
 490 F ST.  
 LEMOORE, CA 93245  
 US 93245  
 Contact: CHRISTOPHER FOGG  
 cfogg@leprinofoods.com  
 T: (559)925-7137  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)