

# **OIL ANALYSIS REPORT**

Sample Rating Trend



#### Area SMART OIL Machine Id HERTZ HBD00352 Component

Component Compressor

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.


## Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	<b>IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UHK06185110		
Sample Date		Client Info		25 Mar 2024		
Machine Age	hrs	Client Info		12532		
Oil Age	hrs	Client Info		1257		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>25	1		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m	20	0		
Phosphorus	ppm	ASTM D5185m		470		
Zinc	ppm	ASTM D5185m		11		
Sulfur	ppm	ASTM D5185m		166		
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	2		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.23		



# **OIL ANALYSIS REPORT**



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
ut-	Sand/Dirt	scalar	*Visual	NONE	NONE		
Mar25/24	Appearance	scalar	*Visual	NORML	NORML		
N	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
1	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	TIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	46	46.9		
	SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Mai25/24 +	Color					no image	no image
	Bottom					no image	no image
	GRAPHS						
	Ferrous Alloys						
	10 [ iron ]						
	o - chromium						
	2						
	oL						
	Mar25/24			Mar25/24			
	—			Ma			
	Non-ferrous Metal	ls					
	copper						
	E 6 + the second						
	4						
	2						
				24			
	Mar25/24			Mar25/24			
	≥ Viscosity @ 40°C			2	A -1 -1 -1 -1		
	55 Abnormal			0.25	Acid Number		
	<b>Q</b>			0.25 HO 0.20 W 0.15			
	()000 ()000			Ĕ 0.15			
	to 45			a 0.10	1		
	Abnormal			40.10 90.00 90.05 90.00			
	40				24		74
	Mar25/24			Mar25/24	Mar25/24		Mar25/24
Laboratory	: WearCheck USA - 50 : UHK06185110	1 Madisor Receiv Testeo	ved : 20	, NC 27513 ) May 2024 May 2024		<b>A AIR COMPRE</b> 123 MERCHA HC	NTS PARK DF DSCHTON, GA
Sample No. Lab Number Unique Number test Package	: 11036436 : IND 2	Diagno		May 2024 - W	es Davis	Contact: Se	US 30548 ervice Manage
Lab Number Unique Number L2367 Test Package cuss this sample report,	: 11036436	ice at 1-80	00-237-1369	Э.	es Davis	Contact: Se	

Contact/Location: Service Manager - UCATLHER Page 2 of 2