

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

Area NOT GIVEN Machine Id INGERSOLL RAND CBV155325

Component Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) COMPRESSOR OIL (PAG) ISO 46. Please confirm.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UHC06185140		
Sample Date		Client Info		24 Apr 2024		
Machine Age	hrs	Client Info		44500		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
•			11 11 /1	-		
CONTAMINATION	N	method	limit/base	current	history1	history2
Water		WC Method	>0.8	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	2		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>25	1		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	3		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	2	0		
Barium	ppm	ASTM D5185m	525	687		
Molybdenum	ppm	ASTM D5185m	10	0		
Manganese	ppm	ASTM D5185m		2		
Magnesium	ppm	ASTM D5185m	5	<1		
Calcium	ppm	ASTM D5185m	10	0		
Phosphorus	ppm	ASTM D5185m	250	2		
Zinc	ppm	ASTM D5185m	100	75		
Sulfur	ppm	ASTM D5185m	400	336		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	2		
Sodium	ppm	ASTM D5185m		32		
Potassium	ppm	ASTM D5185m	>20	3		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.31		



OIL ANALYSIS REPORT



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	LIGHT		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.8	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	ΓIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	46	53.1		
SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Color				•	no image	no image
Bottom					no image	no image
Non-ferrous Metal			Apr24/24			
Copper lead			Apr24/24			
Viscosity @ 40°C				Acid Number	-	
Abnormal			(b) 40 HOX 0.30 Bu 0.20 fem 0.20 fem 0.10 Port 0.00	[]		
			9.30	-		
Base			는 늉 0.20			
			Ten 20.10			
Abnormal			0.00 Percent			
Apr24/24			Apr24/24	Apr24/24		9 C 9 C V
/earCheck USA - 50 HC06185140 6185140 1036466 ID 2 ntact Customer Serv	Recei Teste Diagr	es Davis	ATLANTA AIR COMPRESSOF 123 MERCHANTS PARK DF HOSCHTON, GA US 30548 Contact: Derik Bray Derik@atlantaaircompressor.con T: (470)252-9952			

To discuss this sample report, co * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Laboratory Sample No. Lab Number **Unique Number Test Package**

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: UCATLHOS [WUSCAR] 06185140 (Generated: 05/22/2024 17:41:55) Rev: 1

Certificate L2367

Contact/Location: Derik Bray - UCATLHOS

F: x: