

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id **RP191271 - 995Q** Component New (Unused) Oil

New (Unused) OII Fluid {not provided} (--- QTS)

DIAGNOSIS


Recommendation

This is a baseline read-out on the submitted sample.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		RP191271		
Sample Date		Client Info		29 May 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>5	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>5	<1		
Lead	ppm	ASTM D5185m	>5	0		
Copper	ppm	ASTM D5185m	>5	0		
Tin	ppm	ASTM D5185m	>5	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
	pp		11 1. //	-		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		<1		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		78		
Calcium	ppm	ASTM D5185m		3		
Phosphorus	ppm	ASTM D5185m		7		
Zinc	ppm	ASTM D5185m		0		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	2		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	0		
Water	%	ASTM D6304		0.007		
ppm Water	ppm	ASTM D6304		74		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	440		
Particles >6µm		ASTM D7647	>1300	69		
Particles >14µm		ASTM D7647	>160	5		
Particles >21µm		ASTM D7647	>40	2		
Particles >38µm		ASTM D7647	>10	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	16/13/10		
FLUID DEGRADA		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.33		



OIL ANALYSIS REPORT



ISUAL		method	limit/base	current	history1	history2
ite Metal	scalar	*Visual	NONE	NONE		
ow Metal	scalar	*Visual	NONE	NONE		
cipitate	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
oris	scalar	*Visual	NONE	NONE		
nd/Dirt	scalar	*Visual	NONE	NONE		
earance	scalar	*Visual	NORML	NORML		
or	scalar	*Visual	NORML	NORML		
ulsified Water	scalar	*Visual		NEG		
e Water	scalar	*Visual		NEG		
_UID PROPERT	IES	method	limit/base	current	history1	history2
c@ 40°C	cSt	ASTM D445		47.18		
c@ 100°C	cSt	ASTM D445		7.83		
cosity Index (VI)	Scale	ASTM D2270		135		
• • • •				100		
AMPLE IMAGES	5	method	limit/base	current	history1	history2
or				. <u>.</u> .	no image	no image
tom					no image	no image
RAPHS						
errous Alloys				Particle Count		
iron			491,52	T		26
chromium nickel			122,88	0-		-24
			30,72			-22
			7.68	Abnormal		-20 ह
copper lead	s		1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00			-18 -10 -116 -116 -116 -112 -112 -112 -110 -110 -110 -110 -110
scosity @ 40°C			May29	Acid Number	14μ 21μ	38μ 71μ
normal			HOX 0.3	D		
normal			<u>ق</u> ي 0.2	o -		
			(0,0.4) 30.3 40.11 40.11 40.11	D		
			0.0 Acid	24 L		
			May29/24	May29/24		May29/24
Check USA - 50 ⁻ 11271 <mark>4524</mark> 6647 2 (Additional Te	Recei Teste Diagr	ived : 29 ed : 04 nosed : 04	, NC 27513 May 2024 Jun 2024 Jun 2024 - Jonat	than Hester	Ro No. 1 ROYAL I Contact: PETEF	yal Purple Inc. PURPLE LANE PORTER, TX US 77365
t Customer Servi				••)		oyalpurple.com
side of the ISO 1					acity inpice	T·

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) F: (281)577-5095

Contact/Location: PETER DALRYMPLE - ROYHUM

T: