

# **OIL ANALYSIS REPORT**

Sample Rating Trend

**NORMAL** 



Machine Id

# DOVER DOROTHY DAY CONV 6989 (S/N US224525)

Hydraulic System

{not provided} (--- GAL)

### DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

### **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

		L		May2024		
SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
				BB0000190		,_
Sample Number		Client Info				
Sample Date		Client Info		28 May 2024		
Machine Age	hrs	Client Info		25		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	<1		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	<1		
Copper	ppm	ASTM D5185m	>20	<1		
Tin	ppm	ASTM D5185m	>20	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		56		
Phosphorus	ppm	ASTM D5185m		363		
Zinc	ppm	ASTM D5185m		415		
Sulfur	ppm	ASTM D5185m		3415		
CONTAMINANTS	S	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm		>20	2		
Water	%	ASTM D6304		NEG		
FLUID CLEANLII	NESS _	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	3907		
Particles >6µm		ASTM D7647	>1300	981		
Particles >14µm		ASTM D7647	>160	64		
Particles >21µm		ASTM D7647	>40	17		
Particles >38µm		ASTM D7647	>10	1		
Particles >71µm		ASTM D7647		0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	19/17/13		
FLUID DEGRAD	ATION	method	limit/base	current	history1	history2


Acid Number (AN)

mg KOH/g ASTM D8045

0.49



## **OIL ANALYSIS REPORT**





Certificate 12367

Sample No. : BB0000190 Lab Number : 06196626 Unique Number : 11058749 Test Package : PLANT

Received : 31 May 2024 **Tested** : 04 Jun 2024

Diagnosed : 04 Jun 2024 - Jonathan Hester

12530 135th Ave NE Kirkland, WA US 98034 Contact: Meigon Smith meigon.smith@tkevator.com

To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) Report Id: TKEKIR [WUSCAR] 06196626 (Generated: 06/19/2024 13:26:49) Rev: 1

Contact/Location: Meigon Smith - TKEKIR

T:

F: