



OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id
420320EXP
 Component
Fluid
 Fluid
 {not provided} (--- GAL)

DIAGNOSIS



Recommendation

This is a baseline read-out on the submitted sample.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			WC06201945	---	---
Sample Date	Client Info			05 Jun 2024	---	---
Machine Age	hrs	Client Info		0	---	---
Oil Age	hrs	Client Info		0	---	---
Oil Changed	Client Info			N/A	---	---
Sample Status				NORMAL	---	---


CONTAMINANTS		method	limit/base	current	history1	history2
Water	%	ASTM D6304		NEG	---	---
INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844		0.2	---	---
Nitration	Abs/cm	*ASTM D7624		7.8	---	---
Sulfation	Abs/.1mm	*ASTM D7415		23.0	---	---

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414		16.4	---	---

SAMPLE IMAGES		method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image



OIL ANALYSIS REPORT



GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC06201945 **Received** : 06 Jun 2024
Lab Number : 06201945 **Tested** : 11 Jun 2024
Unique Number : 11069406 **Diagnosed** : 11 Jun 2024 - Doug Bogart
Test Package : TEST (Additional Tests: FT-IR, KF)

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

XAERUS FLUIDS
 2825 SCHUETTE RD
 MIDLAND, MI
 US 48642
 Contact: BRYAN DOLE
 bdole@xaerusfluids.com

T:
F: