


# **OIL ANALYSIS REPORT**

[10-1512832] **SULLAIR SULLAIR 2 EAST (S/N 200601100086)** 

Compressor

ATLAS COPCO ROTO XTEND (--- QTS)





## Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

## Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.


## **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				May2024		
SAMPLE INFORM	MATION	method	limit/booo	ourront.	historya	history
	IATION		limit/base	current	history1	history2
Sample Number		Client Info		USP0012451		
Sample Date		Client Info		31 May 2024		
Machine Age	hrs	Client Info		69560		
Oil Age	hrs	Client Info		613		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m	7.0	0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES	ррш		limit/bass	-	historya	history
		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		2		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		<1		
Phosphorus	ppm	ASTM D5185m		405		
Zinc	ppm	ASTM D5185m		46		
Sulfur	ppm	ASTM D5185m		1213		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	2		
Water	%	ASTM D6304	>0.1	0.006		
ppm Water	ppm	ASTM D6304	>1000	62		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>10000	1248		
Particles >6µm		ASTM D7647	>2500	509		
Particles >14µm		ASTM D7647	>320	38		
Particles >21µm		ASTM D7647	>80	10		
Particles >38µm		ASTM D7647	>20	0		
Particles >71µm		ASTM D7647	>4	0		
Oil Cleanliness		ISO 4406 (c)	>20/18/15	17/16/12		
FLUID DEGRADA	TION _	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.14	0.38		



# **OIL ANALYSIS REPORT**







Certificate 12367

Laboratory Sample No.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : USP0012451 Lab Number : 06204663 Unique Number : 11072124 Test Package : IND 2

Received : 10 Jun 2024 **Tested** Diagnosed

: 12 Jun 2024 : 12 Jun 2024 - Doug Bogart

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**TYSON - SMART CHICKEN MBA** 

13151 DOVER ST WAVERLY, NE US 68462

Contact: KURT CONRADT kconradt@smartchicken.com

T: (402)786-1072