

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



IR ULTRA COOLANT **INGERSOLL RAND F38118U01191 - ALTIUM**

Component Compressor

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Jun 2024		
OAMBLE INFORM	44 TION		11 12 11			
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06204786		
Sample Date		Client Info		04 Jun 2024		
Machine Age	hrs	Client Info		46423		
Oil Age	hrs	Client Info		6420		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	1		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	4		
Tin	ppm	ASTM D5185m	>15	1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0		
Barium	ppm	ASTM D5185m	500	644		
Molybdenum	ppm	ASTM D5185m	0	0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m	0	0		
Calcium	ppm	ASTM D5185m	0	0		
Phosphorus	ppm	ASTM D5185m	20	1		
Zinc	ppm	ASTM D5185m	0	166		
Sulfur	ppm	ASTM D5185m	200	353		
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	5		
Sodium	ppm	ASTM D5185m		42		
Potassium	ppm	ASTM D5185m	>20	6		
FLUID DEGRADA	NOITA	method	limit/base	current	history1	history2
	1/01::	4.0T1.1.D00.:-				


0.48

Acid Number (AN)

mg KOH/g ASTM D8045



OIL ANALYSIS REPORT




VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	TIES	method	limit/base	current	history1	history2


FLUID PROPER	IIIEO	method			riistory i	HIStory2
Visc @ 40°C	cSt	ASTM D445	49.4	54.0		


Color	no image	no image
Bottom	no image	no image

SAMPLE IMAGES



10 T	errous Metais	
8 -	copper	
6 -	••• tin	
2		
0		
Jun4/24		Jun4/24









: WearCheck USA - 501 Madison Ave., Cary, NC 27513 **Sample No.** : UCH06204786 Lab Number : 06204786

Unique Number : 11072247

Received : 10 Jun 2024 Tested : 11 Jun 2024

Diagnosed : 11 Jun 2024 - Wes Davis

US 38118 Contact: WAIN GOAD Wain.goad@aimcompanies.com

AIM POWER AND FLUIDS

2884 SANDERWOOD DR

T: (901)363-2200

Test Package : IND 2 Certificate 12367 To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) MEMPHIS, TN