


OIL ANALYSIS REPORT

Area
412
Machine Id
73 BANBURY GEARBOX
Component
Gearbox

MOBIL MOBILGEAR SHC 460 (40 GAL)





DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	AATION	method	limit/base	ourrant	hiotory	history2
				current WC0912145	history1 WC0912086	•
Sample Number Sample Date		Client Info		04 Jun 2024	21 May 2024	WC0838856 27 Feb 2024
Machine Age	hrs	Client Info		04 3011 2024	0	0
Oil Age	hrs	Client Info		0	0	1320
Oil Changed	1113	Client Info		Not Changd	Not Changd	Not Changd
Sample Status		Ollotte IIIIo		NORMAL	ATTENTION	NORMAL
CONTAMINATION	V	method	limit/base	current	history1	history2
Water	•	WC Method		NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
PQ		ASTM D8184	mmobacc	20	16	11
Iron	nnm	ASTM D5185m	>200	<1	0	2
Chromium	ppm	ASTM D5185m	>200	0	0	<1
Nickel	ppm	ASTM D5185m		0	0	<1
Titanium	ppm	ASTM D5185m	210	0	0	<1
Silver	ppm	ASTM D5165III		0	0	0
Aluminum	ppm	ASTM D5185m	>25	0	0	<1
Lead	ppm	ASTM D5185m	>100	0	0	0
Copper	ppm	ASTM D5185m	>200	8	7	6
Tin	ppm	ASTM D5185m	>25	0	<1	<1
Antimony	ppm	ASTM D5185m	>5			
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES	''	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	<1
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	<1
Manganese	ppm	ASTM D5185m		0	<1	<1
Magnesium	ppm	ASTM D5185m		<1	1	1
Calcium	ppm	ASTM D5185m		5	0	0
Phosphorus	ppm	ASTM D5185m		409	438	419
Zinc	ppm	ASTM D5185m		18	9	13
Sulfur	ppm	ASTM D5185m		2377	2349	1990
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	6	6	11
Sodium	ppm	ASTM D5185m		0	0	0
Potassium	ppm	ASTM D5185m	>20	<1	0	<1
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>20000	1510	28622	1997
Particles >6µm		ASTM D7647	>5000	143	1409	251
Particles >14µm		ASTM D7647	>640	4	9	11
Particles >21µm		ASTM D7647		1	2	4
Particles >38µm		ASTM D7647	>40	0	0	1
				-	-	•
Particles >71µm		ASTM D7647	>10	0	0	0
Particles >71µm Oil Cleanliness		ASTM D7647 ISO 4406 (c)	>10 >21/19/16	0 18/14/9	0 22/18/10	0 18/15/11



OIL ANALYSIS REPORT







Certificate 12367

Sample No. Lab Number

: WC0912145 : 06206378 Unique Number: 11073839

Received **Tested** Diagnosed Test Package : IND 2 (Additional Tests: PQ, PrtCount)

: 11 Jun 2024 : 13 Jun 2024

: 13 Jun 2024 - Don Baldridge

4600 NW 2ND AVE DES MOINES, IA US 50313

Contact: SCOTT CARTER CarterScottA@FirestoneAg.com T: x:

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: x: