

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id

101-68FZG - 06072403 Component Fluid

Fluid

{not provided} (--- QTS)

| _ | | \circ | • | $\overline{}$ | 0 | |
|---|----|---------|----|---------------|---|---|
| D | ΙА | | NΙ | | - | - |
| | | | | | | |

Recommendation

This is a baseline read-out on the submitted sample.

| | | | | Jun 2024 | | |
|------------------|--------|-------------|------------|-------------|----------------|---------------|
| SAMPLE INFORM | MATION | method | limit/base | current | history1 | history2 |
| Sample Number | | Client Info | | WC06207047 | | |
| Sample Date | | Client Info | | 07 Jun 2024 | | |
| Machine Age | hrs | Client Info | | 0 | | |
| Oil Age | hrs | Client Info | | 0 | | |
| Oil Changed | | Client Info | | N/A | | |
| Sample Status | | | | NORMAL | | |
| CONTAMINATION | V | method | limit/base | current | history1 | history2 |
| Water | | WC Method | | NEG | | |
| WEAR METALS | | method | limit/base | current | history1 | history2 |
| Iron | ppm | ASTM D5185m | | 0 | | |
| Chromium | ppm | ASTM D5185m | | 0 | | |
| Nickel | ppm | ASTM D5185m | | 0 | | |
| Titanium | ppm | ASTM D5185m | | 0 | | |
| Silver | ppm | ASTM D5185m | | 0 | | |
| Aluminum | ppm | ASTM D5185m | | <1 | | |
| Lead | ppm | ASTM D5185m | | 0 | | |
| Copper | ppm | ASTM D5185m | | 0 | | |
| Tin | ppm | ASTM D5185m | | <1 | | |
| Vanadium | ppm | ASTM D5185m | | 0 | | |
| Cadmium | ppm | ASTM D5185m | | 0 | | |
| | ррпп | | | • | | |
| ADDITIVES | | method | limit/base | current | history1 | history2 |
| Boron | ppm | ASTM D5185m | | 0 | | |
| Barium | ppm | ASTM D5185m | | 1 | | |
| Molybdenum | ppm | ASTM D5185m | | 0 | | |
| Manganese | ppm | ASTM D5185m | | <1 | | |
| Magnesium | ppm | ASTM D5185m | | <1 | | |
| Calcium | ppm | ASTM D5185m | | <1 | | |
| Phosphorus | ppm | ASTM D5185m | | 133 | | |
| Zinc | ppm | ASTM D5185m | | 6 | | |
| Sulfur | ppm | ASTM D5185m | | 0 | | |
| CONTAMINANTS | ; | method | limit/base | current | history1 | history2 |
| Silicon | ppm | ASTM D5185m | | 3 | | |
| Sodium | ppm | ASTM D5185m | | 1 | | |
| Potassium | ppm | ASTM D5185m | >20 | 2 | | |
| VISUAL | | method | limit/base | current | history1 | history2 |
| White Metal | scalar | *Visual | NONE | NONE | | |
| Yellow Metal | scalar | *Visual | NONE | NONE | | |
| Precipitate | scalar | *Visual | NONE | NONE | | |
| Silt | scalar | *Visual | NONE | NONE | | |
| Debris | scalar | *Visual | NONE | NONE | | |
| Sand/Dirt | scalar | *Visual | NONE | NONE | | |
| Appearance | scalar | *Visual | NORML | NORML | | |
| Odor | scalar | *Visual | NORML | NORML | | |
| Emulsified Water | scalar | *Visual | | NEG | | |
| Free Water | scalar | *Visual | | NEG | | |
| 8:12:15) Rev: 1 | | | | Contact/Loc | ation: BRYAN [| OOLE - XAEMID |



OIL ANALYSIS REPORT

| SAMPLE IMAGES | method | limit/base | current | history1 | history2 |
|---------------|--------|------------|----------|----------|----------|
| Color | | | no image | no image | no image |
| Bottom | | | no image | no image | no image |
| GRAPHS | | | | | |



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513 **Sample No.** : WC06207047 Received

Lab Number : 06207047 Unique Number : 11074508

: 11 Jun 2024 Tested : 11 Jun 2024 Diagnosed : 12 Jun 2024 - Doug Bogart

Test Package : TEST (Additional Tests: ICP) To discuss this sample report, contact Customer Service at 1-800-237-1369.

US 48642 Contact: BRYAN DOLE bdole@xaerusfluids.com

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: BRYAN DOLE - XAEMID

T:

F:

XAERUS FLUIDS

MIDLAND, MI

2825 SCHUETTE RD