




# OIL ANALYSIS REPORT

Sample Rating Trend



**NORMAL**



Machine Id  
**KENWORTH T880 5729 (S/N 1XKZDP9XRJ361016)**  
 Component  
**Diesel Engine**  
 Fluid  
**SHELL ROTELLA T 15W40 (--- GAL)**

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.

### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			<b>WC0917140</b>	WC0878911	---
Sample Date	Client Info			<b>10 Jun 2024</b>	18 Mar 2024	---
Machine Age	mls	Client Info		<b>20896</b>	22186	---
Oil Age	mls	Client Info		<b>0</b>	0	---
Oil Changed	Client Info			<b>Changed</b>	Changed	---
Sample Status				<b>NORMAL</b>	NORMAL	---

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>5		<b>&lt;1.0</b>	<1.0	---
Water	WC Method	>0.2		<b>NEG</b>	NEG	---
Glycol	WC Method			<b>NEG</b>	NEG	---

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	<b>23</b>	64	---
Chromium	ppm	ASTM D5185m	>20	<b>&lt;1</b>	2	---
Nickel	ppm	ASTM D5185m	>4	<b>0</b>	<1	---
Titanium	ppm	ASTM D5185m		<b>&lt;1</b>	<1	---
Silver	ppm	ASTM D5185m	>3	<b>&lt;1</b>	<1	---
Aluminum	ppm	ASTM D5185m	>20	<b>14</b>	42	---
Lead	ppm	ASTM D5185m	>40	<b>&lt;1</b>	1	---
Copper	ppm	ASTM D5185m	>330	<b>7</b>	18	---
Tin	ppm	ASTM D5185m	>15	<b>&lt;1</b>	3	---
Vanadium	ppm	ASTM D5185m		<b>&lt;1</b>	<1	---
Cadmium	ppm	ASTM D5185m		<b>0</b>	<1	---

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	316	<b>10</b>	20	---
Barium	ppm	ASTM D5185m	0.0	<b>0</b>	2	---
Molybdenum	ppm	ASTM D5185m	1.2	<b>22</b>	15	---
Manganese	ppm	ASTM D5185m		<b>0</b>	3	---
Magnesium	ppm	ASTM D5185m	24	<b>321</b>	833	---
Calcium	ppm	ASTM D5185m	2292	<b>1948</b>	1365	---
Phosphorus	ppm	ASTM D5185m	1064	<b>955</b>	861	---
Zinc	ppm	ASTM D5185m	1160	<b>1135</b>	984	---
Sulfur	ppm	ASTM D5185m	4996	<b>3628</b>	3103	---

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<b>9</b>	16	---
Sodium	ppm	ASTM D5185m		<b>&lt;1</b>	4	---
Potassium	ppm	ASTM D5185m	>20	<b>46</b>	126	---


INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	<b>0.2</b>	0.3	---
Nitration	Abs/cm	*ASTM D7624	>20	<b>9.0</b>	11.2	---
Sulfation	Abs/.1mm	*ASTM D7415	>30	<b>21.3</b>	25.2	---

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	<b>14.8</b>	21.4	---
Base Number (BN)	mg KOH/g	ASTM D2896	10.1	<b>5.8</b>	4.9	---




# OIL ANALYSIS REPORT


FT-IR (Direct Trend)




Viscosity @ 40°C



Viscosity @ 100°C



Viscosity @ 40°C



Viscosity @ 100°C




VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	---
Yellow Metal	scalar	*Visual	NONE	NONE	---
Precipitate	scalar	*Visual	NONE	NONE	---
Silt	scalar	*Visual	NONE	NONE	---
Debris	scalar	*Visual	NONE	NONE	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---
Appearance	scalar	*Visual	NORML	NORML	---
Odor	scalar	*Visual	NORML	NORML	---
Emulsified Water	scalar	*Visual	>0.2	NEG	---
Free Water	scalar	*Visual		NEG	---


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	15.7	14.2	12.4

## GRAPHS


Iron (ppm)




Lead (ppm)




Aluminum (ppm)




Chromium (ppm)




Copper (ppm)




Silicon (ppm)



Viscosity @ 100°C



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513

Sample No. : WC0917140

Lab Number : 06207648

Unique Number : 11075109

Test Package : MOB 1 ( Additional Tests: KV40, TBN )

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Received : 12 Jun 2024

Tested : 14 Jun 2024

Diagnosed : 14 Jun 2024 - Angela Borella

JOHNSON BREEDERS

3425 HWY 117N

ROSE HILL, NC

US 28458

Contact: GREG JONES

gregory.jones@houseofraeford.com

T: (910)289-6884

F: