










# OIL ANALYSIS REPORT



| FLUID DEGRADATION | method   | limit/base | current     | history1 | history2 |
|-------------------|----------|------------|-------------|----------|----------|
| Acid Number (AN)  | mg KOH/g | ASTM D8045 | <b>1.06</b> | ---      | ---      |





| VISUAL           | method | limit/base | current | history1 | history2 |
|------------------|--------|------------|---------|----------|----------|
| White Metal      | scalar | *Visual    | NONE    | NONE     | ---      |
| Yellow Metal     | scalar | *Visual    | NONE    | NONE     | ---      |
| Precipitate      | scalar | *Visual    | NONE    | NONE     | ---      |
| Silt             | scalar | *Visual    | NONE    | NONE     | ---      |
| Debris           | scalar | *Visual    | NONE    | NONE     | ---      |
| Sand/Dirt        | scalar | *Visual    | NONE    | NONE     | ---      |
| Appearance       | scalar | *Visual    | NORML   | NORML    | ---      |
| Odor             | scalar | *Visual    | NORML   | NORML    | ---      |
| Emulsified Water | scalar | *Visual    | >0.1    | NEG      | ---      |
| Free Water       | scalar | *Visual    |         | NEG      | ---      |

| FLUID PROPERTIES | method | limit/base | current | history1    | history2 |
|------------------|--------|------------|---------|-------------|----------|
| Visc @ 40°C      | cSt    | ASTM D445  | 93.9    | <b>47.4</b> | ---      |

## SAMPLE IMAGES

| method | limit/base | current | history1 | history2 |
|--------|------------|---------|----------|----------|
| Color  |            |         | no image | no image |
| Bottom |            |         | no image | no image |

## GRAPHS



Certificate L2367

**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0944182 **Received** : 12 Jun 2024  
**Lab Number** : **06207707** **Tested** : 13 Jun 2024  
**Unique Number** : 11075168 **Diagnosed** : 14 Jun 2024 - Angela Borella  
**Test Package** : CONST ( Additional Tests: PQ )

**COVIA - OREGON - 004**  
 1446 DEVILS BACKBONE ROAD  
 OREGON, IL  
 US 61061-0156  
 Contact: Brian Bunnell  
 brian.bunnell@coviacorp.com  
 T: (815)677-8700  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)