




# OIL ANALYSIS REPORT

Sample Rating Trend



**NORMAL**



Area  
**V28**  
 Machine Id  
**757-3 (S/N FAA ID 578)**  
 Component  
**Hydraulic System**  
 Fluid  
**SHELL TELLUS 46 (500 GAL)**

## DIAGNOSIS

- Recommendation**  
 Resample at the next service interval to monitor.
- Wear**  
 All component wear rates are normal.
- Contamination**  
 There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.
- Fluid Condition**  
 The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		<b>WC0739938</b>	WC0803903	WC0803897
Sample Date	Client Info		<b>12 Jun 2024</b>	25 Dec 2023	20 Jun 2023
Machine Age	mths	Client Info	<b>0</b>	0	0
Oil Age	mths	Client Info	<b>0</b>	0	0
Oil Changed	Client Info		<b>N/A</b>	N/A	N/A
Sample Status			<b>NORMAL</b>	ATTENTION	NORMAL

## CONTAMINATION

	method	limit/base	current	history1	history2
Water	WC Method	>0.05	<b>NEG</b>	NEG	NEG

## WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	<b>0</b>	0
Chromium	ppm	ASTM D5185m	>20	<b>0</b>	<1
Nickel	ppm	ASTM D5185m	>20	<b>0</b>	0
Titanium	ppm	ASTM D5185m		<b>&lt;1</b>	0
Silver	ppm	ASTM D5185m		<b>0</b>	0
Aluminum	ppm	ASTM D5185m	>20	<b>0</b>	2
Lead	ppm	ASTM D5185m	>20	<b>0</b>	0
Copper	ppm	ASTM D5185m	>20	<b>&lt;1</b>	<1
Tin	ppm	ASTM D5185m	>20	<b>0</b>	0
Vanadium	ppm	ASTM D5185m		<b>&lt;1</b>	0
Cadmium	ppm	ASTM D5185m		<b>0</b>	0

## ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0.0	<b>3</b>	0
Barium	ppm	ASTM D5185m	0	<b>0</b>	0
Molybdenum	ppm	ASTM D5185m	0	<b>0</b>	0
Manganese	ppm	ASTM D5185m		<b>&lt;1</b>	0
Magnesium	ppm	ASTM D5185m	11	<b>0</b>	<1
Calcium	ppm	ASTM D5185m	35	<b>39</b>	47
Phosphorus	ppm	ASTM D5185m	266	<b>72</b>	88
Zinc	ppm	ASTM D5185m	276	<b>0</b>	12
Sulfur	ppm	ASTM D5185m	1847	<b>347</b>	263

## CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<b>&lt;1</b>	<1
Sodium	ppm	ASTM D5185m		<b>&lt;1</b>	0
Potassium	ppm	ASTM D5185m	>20	<b>0</b>	<1

## FLUID CLEANLINESS





	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>5000	<b>209</b>	6103	66
Particles >6µm	ASTM D7647	>1300	<b>92</b>	916	26
Particles >14µm	ASTM D7647	>160	<b>11</b>	29	3
Particles >21µm	ASTM D7647	>40	<b>3</b>	7	1
Particles >38µm	ASTM D7647	>10	<b>0</b>	1	0
Particles >71µm	ASTM D7647	>3	<b>0</b>	0	0
Oil Cleanliness	ISO 4406 (c)	>19/17/14	<b>15/14/11</b>	20/17/12	13/12/9

## FLUID DEGRADATION

	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.36	<b>0.16</b>	0.09




# OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.05	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	46.99	45.2	43.9

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0739938 **Received** : 13 Jun 2024  
**Lab Number** : 06208675 **Tested** : 14 Jun 2024  
**Unique Number** : 11076136 **Diagnosed** : 15 Jun 2024 - Don Baldrige  
**Test Package** : IND 2

**DENTK UNITED AIRLINES**  
 7401 MARTIN LUTHER KING BLVD.  
 DENVER, CO 80207  
 Contact: MARKUS MANGRA  
 markus.mangra@united.com

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)