


OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id

1201026 (S/N 0186769)

Compressor

KAESER SIGMA (OEM) S-460 (--- GAL)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. The filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is a high amount of particulates present in the oil.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

		Nov2021 Jan2023 Jun2024				
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		KCPA019091	KCP40372D	KCP38829
Sample Date		Client Info		12 Jun 2024	18 Jan 2023	30 Nov 2021
Machine Age	hrs	Client Info		43943	40855	38218
Oil Age	hrs	Client Info		1100	0	3000
Oil Changed		Client Info		Not Changd	Changed	Changed
Sample Status				ABNORMAL	ABNORMAL	ATTENTION
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1	<1	2
Chromium	ppm	ASTM D5185m	>10	0	0	0
Nickel	ppm	ASTM D5185m	>3	0	<1	<1
Titanium	ppm	ASTM D5185m	>3	<1	0	0
Silver	ppm	ASTM D5185m	>2	0	<1	<1
Aluminum	ppm	ASTM D5185m	>10	<1	<1	0
Lead	ppm	ASTM D5185m	>10	0	<1	<1
Copper	ppm	ASTM D5185m	>50	2	22	23
Tin	ppm	ASTM D5185m	>10	0	0	<1
Antimony	ppm	ASTM D5185m				0
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	17
Barium	ppm	ASTM D5185m	90	27	<1	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese	ppm	ASTM D5185m		<1	0	<1
Magnesium	ppm	ASTM D5185m	90	71	2	<1
Calcium	ppm	ASTM D5185m	2	2	1	0
Phosphorus	ppm	ASTM D5185m		1	54	4
Zinc	ppm	ASTM D5185m		11	46	25
Sulfur	ppm	ASTM D5185m		20720	18376	15044
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1	<1	<1
Sodium	ppm	ASTM D5185m		13	<1	<1
Potassium	ppm	ASTM D5185m	>20	1	0	<1
Water	%	ASTM D6304		0.019	0.003	0.007
ppm Water	ppm	ASTM D6304	>500	199	26.9	72.9
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		101714	6289	7467
Particles >6µm		ASTM D7647	>1300	<u> 32412</u>	<u>\$\times\$ 2584</u>	1333
Particles >14µm		ASTM D7647	>80	^ 782	△ 370	81
Particles >21µm		ASTM D7647	>20	<u>▲</u> 53	<u></u> 105	24
Particles >38µm		ASTM D7647	>4	1	<u>12</u>	0
Particles >71µm		ASTM D7647	>3	0	1	0
Oil Cleanliness		ISO 4406 (c)	>/17/13	<u>4</u> 24/22/17	<u>^</u> 20/19/16	18/14
FLUID DEGRADA	TION	method	limit/base	current	history1	history2



OIL ANALYSIS REPORT







Certificate 12367

Laboratory Sample No.

Lab Number : 06212447 Unique Number: 11085311

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : KCPA019091 Received : 17 Jun 2024

Tested : 19 Jun 2024 Diagnosed : 19 Jun 2024 - Don Baldridge

Test Package : IND 2 (Additional Tests: KF, PrtCount) To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: F:

8240 JOLIET RD

Contact: Service Manager

MCCOOK, IL

US 60525