

OIL ANALYSIS REPORT

Area **AIRLUBE 228** ATLAS COPCO APF214987 - DANA WARREN DA 1 Component Compressor

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




SAMPLE INFORM	NATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06215862	UCH05922342	
Sample Date		Client Info		19 Jun 2024	26 Jul 2023	
Machine Age	hrs	Client Info		37958	30572	
Oil Age	hrs	Client Info		2643	0	
Oil Changed		Client Info		Not Changd	N/A	
Sample Status				NORMAL	NORMAL	
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0	2	
Chromium	ppm	ASTM D5185m	>5	0	0	
Nickel	ppm	ASTM D5185m		0	<1	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>15	3	7	
Lead	ppm	ASTM D5185m	>65	0	0	
Copper	ppm	ASTM D5185m	>65	0	<1	
Tin	ppm	ASTM D5185m	>10	0	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	1.5	0	0	
Barium	ppm	ASTM D5185m	0	0	0	
Molybdenum	ppm	ASTM D5185m	0	0	0	
Manganese	ppm	ASTM D5185m	0.3	<1	<1	
Magnesium	ppm	ASTM D5185m	0	0	<1	
Calcium	ppm	ASTM D5185m	0	0	0	
Phosphorus	ppm	ASTM D5185m	406	122	155	
Zinc	ppm	ASTM D5185m	0	17	43	
Sulfur	ppm	ASTM D5185m	1283	0	48	
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	0	<1	
Sodium	ppm	ASTM D5185m		2	2	
Potassium	ppm	ASTM D5185m	>20	3	3	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.463	0.44	0.54	



Jul26/23

OIL ANALYSIS REPORT



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE	NONE	
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
	Precipitate	scalar	*Visual	NONE	NONE	NONE	
	Silt	scalar	*Visual	NONE	NONE	NONE	
	Debris	scalar	*Visual	NONE	NONE	NONE	
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Jun 19,24	Appearance	scalar	*Visual	NORML	NORML	NORML	
μημ	Odor	scalar	*Visual	NORML	NORML	NORML	
	Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
· · · · · · · · · · · · · · · · · · ·	Free Water	scalar	*Visual		NEG	NEG	
	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	47.9	49.6	49.5	
	SAMPLE IMAGES	3	method	limit/base	current	history1	history2
Jun 19/24	Color					9	no image
	Bottom						no image
	Non-ferrous Metal	s		Jun 19/24			
	2 0 EX S S S S S S S S S S S S S			0H/0 0-H0	Acid Number		
	(2-0+) 45- 40- 40- 40- 40- 40- 40- 40- 40			Jun 19/24 Acid Number (mg KOH(g))	36 24 12 00 62 29 20 20 20 20 20 20 20 20 20 20 20 20 20		
Laboratory Sample No.	: WearCheck USA - 50 : UCH06215862 : 06215862	1 Madiso Recei Teste	ived : 20	, NC 27513 Jun 2024 Jun 2024	AIR TE	CHNOLOGIES 1177	INC (DET-LI 1 BELDEN C LIVONIA, M

Contact/Location: MICHAEL WYSZCZELSKI - UCAIRLIV