

OIL ANALYSIS REPORT



Machine Id CINCI PRESS 6

Component Hydraulic System Fluid AW HYDRAULIC OIL ISO 32 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PTK0005816		
Sample Date		Client Info		23 Jun 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status		-		NORMAL		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>10	0		
Lead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m	>10	ء <1		
Vanadium	ppm	ASTM D5185m	- 10	0		
Cadmium	ppm	ASTM D5185m		0		
	PPIII		1	-		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	0		
Barium	ppm	ASTM D5185m	5	0		
Molybdenum	ppm	ASTM D5185m	5	0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m	25	0		
Calcium	ppm	ASTM D5185m	200	63		
Phosphorus	ppm	ASTM D5185m	300	361		
Zinc	ppm	ASTM D5185m	370	456		
Sulfur	ppm	ASTM D5185m	2500	1009		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>20000	2958		
Particles >6µm		ASTM D7647	>2500	906		
Particles >14µm		ASTM D7647	>320	59		
ranicies >14µm		ASTM D7647		9		
Particles >21µm		ASTM D7647	>20	0		
Particles >21µm Particles >38µm						
Particles >14µm Particles >21µm Particles >38µm Particles >71µm Oil Cleanliness		ASTM D7647 ASTM D7647 ISO 4406 (c)		0 0 19/17/13		
Particles >21μm Particles >38μm Particles >71μm Oil Cleanliness	TION	ASTM D7647 ISO 4406 (c)	>4 >21/18/15	0 19/17/13		
Particles >21µm Particles >38µm Particles >71µm	TION mg KOH/g	ASTM D7647	>4	0		

Report Id: MARSTMMN [WUSCAR] 06218142 (Generated: 06/25/2024 18:48:26) Rev: 1

Contact/Location: VIRGIL OLSON - MARSTMMN



Particle Trend

25

Ê 20

of particles (1 r

5

n,

OIL ANALYSIS REPORT

scalar

scalar

scalar

*Visual


*Visual


*Visual

NONE

NONE

NONE





NONE

NONE

NONE

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: MARSTMMN [WUSCAR] 06218142 (Generated: 06/25/2024 18:48:26) Rev: 1

Certificate 12367

Laboratory

Sample No.

Contact/Location: VIRGIL OLSON - MARSTMMN

T: (763)497-4640

F: (763)497-4695