




OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Area

Stoneway Concrete Renton

Machine Id

[Stoneway Concrete Renton] 10-515

Component

Transmission (Auto)

Fluid

BP AUTRAN SYN 295 (--- GAL)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the fluid is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		PE0003293	PE0002156	PE0001311
Sample Date	Client Info		30 May 2024	25 Sep 2023	13 May 2023
Machine Age	mls	Client Info	90598	79881	73529
Oil Age	mls	Client Info	90598	79881	73529
Oil Changed	Client Info		N/A	N/A	N/A
Sample Status			NORMAL	ABNORMAL	NORMAL

CONTAMINATION

	method	limit/base	current	history1	history2
Water	WC Method	>0.1	NEG	NEG	NEG

WEAR METALS

	method	limit/base	current	history1	history2	
PQ	ASTM D8184	>50	30	29	24	
Iron	ppm	ASTM D5185m	>160	81	96	85
Chromium	ppm	ASTM D5185m	>5	<1	0	<1
Nickel	ppm	ASTM D5185m	>5	0	<1	<1
Titanium	ppm	ASTM D5185m		0	0	<1
Silver	ppm	ASTM D5185m	>5	0	0	<1
Aluminum	ppm	ASTM D5185m	>50	29	16	29
Lead	ppm	ASTM D5185m	>50	59	77	73
Copper	ppm	ASTM D5185m	>225	18	21	18
Tin	ppm	ASTM D5185m	>10	2	3	3
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		<1	0	<1

ADDITIVES

	method	limit/base	current	history1	history2	
Boron	ppm	ASTM D5185m		11	7	8
Barium	ppm	ASTM D5185m		<1	0	0
Molybdenum	ppm	ASTM D5185m		0	<1	<1
Manganese	ppm	ASTM D5185m		1	1	2
Magnesium	ppm	ASTM D5185m		<1	1	3
Calcium	ppm	ASTM D5185m		60	39	40
Phosphorus	ppm	ASTM D5185m		157	145	148
Zinc	ppm	ASTM D5185m		14	19	9
Sulfur	ppm	ASTM D5185m		846	615	343






CONTAMINANTS

	method	limit/base	current	history1	history2	
Silicon	ppm	ASTM D5185m	>20	7	9	8
Sodium	ppm	ASTM D5185m		8	4	7
Potassium	ppm	ASTM D5185m	>20	2	2	2

FLUID CLEANLINESS

	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>10000	8665	---	8417
Particles >6µm	ASTM D7647	>2500	1170	---	1070
Particles >14µm	ASTM D7647	>320	53	---	30
Particles >21µm	ASTM D7647	>80	13	---	5
Particles >38µm	ASTM D7647	>20	1	---	1
Particles >71µm	ASTM D7647	>4	0	---	0
Oil Cleanliness	ISO 4406 (c)	>20/18/15	20/17/13	---	20/17/12

OIL ANALYSIS REPORT




FLUID DEGRADATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.70	0.64	0.66






VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	▲ MODER	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	34.4	35.4	35.5

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : PE0003293
Lab Number : 06220341
Unique Number : 11098538
Test Package : CONST (Additional Tests: ICP, KV40, PQ, PrtCount, SCREEN)

Gary Merlino Construction - Off Road Shop
 9125 10TH AVE SOUTH
 SEATTLE, WA
 US 98108
 Contact: Tony Wytko
 oilsamples@gmccinc.com

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)