




OIL ANALYSIS REPORT

Sample Rating Trend



WEAR



Area

Stoneway Concrete Renton

Machine Id

[Stoneway Concrete Renton] 10-540

Component

Transmission (Auto)

Fluid

BP AUTRAN SYN 295 (--- GAL)

DIAGNOSIS

▲ Recommendation

We recommend you service the filters on this component if applicable. Resample at the next service interval to monitor.

▲ Wear

The lead level is abnormal. All other component wear rates are normal.

▲ Contamination

There is a high amount of particulates present in the fluid.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the fluid is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		PE0002062	---	---
Sample Date	Client Info		17 Jun 2024	---	---
Machine Age	mls	Client Info	21069	---	---
Oil Age	mls	Client Info	21069	---	---
Oil Changed	Client Info		Not Chngd	---	---
Sample Status			ABNORMAL	---	---

CONTAMINATION

	method	limit/base	current	history1	history2
Water	WC Method	>0.1	NEG	---	---

WEAR METALS

	method	limit/base	current	history1	history2
PQ	ASTM D8184	>50	24	---	---
Iron	ppm	ASTM D5185m	>160	46	---
Chromium	ppm	ASTM D5185m	>5	<1	---
Nickel	ppm	ASTM D5185m	>5	0	---
Titanium	ppm	ASTM D5185m		0	---
Silver	ppm	ASTM D5185m	>5	0	---
Aluminum	ppm	ASTM D5185m	>50	20	---
Lead	ppm	ASTM D5185m	>50	▲ 67	---
Copper	ppm	ASTM D5185m	>225	10	---
Tin	ppm	ASTM D5185m	>10	4	---
Vanadium	ppm	ASTM D5185m		<1	---
Cadmium	ppm	ASTM D5185m		0	---

ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		33	---
Barium	ppm	ASTM D5185m		<1	---
Molybdenum	ppm	ASTM D5185m		<1	---
Manganese	ppm	ASTM D5185m		1	---
Magnesium	ppm	ASTM D5185m		<1	---
Calcium	ppm	ASTM D5185m		61	---
Phosphorus	ppm	ASTM D5185m		245	---
Zinc	ppm	ASTM D5185m		6	---
Sulfur	ppm	ASTM D5185m		1147	---






CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	4	---
Sodium	ppm	ASTM D5185m		5	---
Potassium	ppm	ASTM D5185m	>20	3	---

FLUID CLEANLINESS

	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>10000	▲ 86213	---	---
Particles >6µm	ASTM D7647	>2500	▲ 16821	---	---
Particles >14µm	ASTM D7647	>320	▲ 665	---	---
Particles >21µm	ASTM D7647	>80	▲ 151	---	---
Particles >38µm	ASTM D7647	>20	5	---	---
Particles >71µm	ASTM D7647	>4	0	---	---
Oil Cleanliness	ISO 4406 (c)	>20/18/15	▲ 24/21/17	---	---

OIL ANALYSIS REPORT







FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.88	---	---

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	---	---
Yellow Metal	scalar	*Visual	NONE	NONE	---	---
Precipitate	scalar	*Visual	NONE	NONE	---	---
Silt	scalar	*Visual	NONE	NONE	---	---
Debris	scalar	*Visual	NONE	NONE	---	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---	---
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Emulsified Water	scalar	*Visual	>0.1	NEG	---	---
Free Water	scalar	*Visual		NEG	---	---

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	37.5	36.9	---	---

SAMPLE IMAGES		method	limit/base	current	history1	history2
Color				no image	no image	
Bottom				no image	no image	

GRAPHS



Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : PE0002062 **Received** : 25 Jun 2024
Lab Number : **06220345** **Tested** : 26 Jun 2024
Unique Number : 11098542 **Diagnosed** : 27 Jun 2024 - Doug Bogart
Test Package : CONST (Additional Tests: ICP, KV40, PQ, PrtCount, SCREEN)

Gary Merlino Construction - Off Road Shop
 9125 10TH AVE SOUTH
 SEATTLE, WA
 US 98108
 Contact: Jesse Patterson
 oilsamples@gmccinc.com
 T: 1(866)292-1303
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.
 * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)