


OIL ANALYSIS REPORT



Machine Id KAESER AIRCENTER SX 7.5 3860483 (S/N 1075)

Component Compressor Fluid

KAESER SIGMA (OEM) M-460 (--- GAL)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. The filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is a high amount of particulates present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		KCPA012343	KCP55163	KCP27705
Sample Date		Client Info		19 Jun 2024	23 Feb 2023	15 Mar 2021
Machine Age	hrs	Client Info		13867	12384	11649
Oil Age	hrs	Client Info		0	786	2
Oil Changed		Client Info		Not Changd	Changed	Changed
Sample Status				ABNORMAL	ABNORMAL	ABNORMAL
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0	0	<1
Chromium	ppm	ASTM D5185m	>10	0	0	0
Nickel	ppm	ASTM D5185m	>3	0	0	0
Titanium	ppm	ASTM D5185m	>3	0	<1	0
Silver	ppm	ASTM D5185m	>2	0	0	<1
Aluminum	ppm	ASTM D5185m	>10	0	<1	0
Lead	ppm	ASTM D5185m	>10	0	0	<1
Copper	ppm	ASTM D5185m		3	1	<1
Tin	ppm	ASTM D5185m	>10	0	0	0
Antimony	ppm	ASTM D5185m				0
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
	ppin		line it floor		-	-
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0	0	<1
Barium	ppm	ASTM D5185m	90	29	0	66
Molybdenum	ppm	ASTM D5185m	0	0	0	0
Manganese	ppm	ASTM D5185m		0	1	<1
Magnesium	ppm	ASTM D5185m	100	58	26	79
Calcium	ppm	ASTM D5185m		<1	0	2
Phosphorus	ppm	ASTM D5185m	0	2	3	2
Zinc	ppm	ASTM D5185m	0	12	55	0
Sulfur	ppm	ASTM D5185m	23500	19824	18447	15710
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0	<1	0
Sodium	ppm	ASTM D5185m		14	13	6
Potassium	ppm	ASTM D5185m	>20	1	<1	<1
Water	%	ASTM D6304	>0.05	0.038	▲ 0.427	0.019
ppm Water	ppm	ASTM D6304	>500	382	4270	199.5
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		34737		8971
Particles >6µm		ASTM D7647	>1300	<u> </u>		A 3170
Particles >14µm		ASTM D7647	>80	<u> </u>		▲ 363
Particles >21µm		ASTM D7647	>20	<u> </u>		9 2
Particles >38µm		ASTM D7647	>4	2		3
Particles >71µm		ASTM D7647	>3	0		0
		ISO 4406 (c)	>17/13	A 21/18		▲ 19/16
Oil Cleanliness		100 4400 (0)	,	~ 21/10		
Oil Cleanliness FLUID DEGRADA	TION	method	limit/base	current	history1	history2

Report Id: KRAHOL [WUSCAR] 06234914 (Generated: 07/15/2024 13:58:11) Rev: 1

Contact/Location: ANDY ? - KRAHOL



Ê0.7 Ê 0.41 Pio 0.2

0.00

1000

600 Water (

4000

200

60

55

() 5(

3 45 45

4(

35

S

Abnorm

muu

OIL ANALYSIS REPORT

scalar

scalar

scalar

scalar

scalar

scalar

scalar

scalar

scalar

method

*Visual

*Visual

*Visua

*Visual

*Visual

*Visual

*Visual

*Visual

*Visual

limit/base

NONE

NONE

NONE

NONE

NONE

NONE

NORML

NORML

>0.05

current

NONE

NONE

NONE

NONE

NONE

NONE

NORML

NORML

NEG

history1

NONE

NONE

NONE

NONE

MODER

NONE

HAZY

A 0.2%

NORM

history2

NONE

NONE

NONE

NONE


NONE


NONE


NORML

NORML

NEG







Report Id: KRAHOL [WUSCAR] 06234914 (Generated: 07/15/2024 13:58:11) Rev: 1

Contact/Location: ANDY ? - KRAHOL Page 2 of 2