


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



OKLAHOMA/102/EG - OTHER SERVICE 54.16L [OKLAHOMA^102^EG - OTHER SERVICE]

Hydraulic System

MOBIL MOBILFLUID 424 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

1±2010 Feb2016 Jui2019 Jan2020 Ок2020 Мау2021 Арг2023 Jui202						
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0945512	WC0864317	WC0819897
Sample Date		Client Info		03 Jul 2024	05 Feb 2024	09 Nov 2023
Machine Age	hrs	Client Info		8923	8701	8474
Oil Age	hrs	Client Info		4339	4339	4339
Oil Changed		Client Info		Changed	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINATION	٧	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	4	6	4
Chromium	ppm	ASTM D5185m	>10	<1	<1	<1
Nickel	ppm	ASTM D5185m	>10	<1	<1	<1
Titanium	ppm	ASTM D5185m		<1	<1	<1
Silver	ppm	ASTM D5185m		0	<1	0
Aluminum	ppm	ASTM D5185m	>10	2	2	2
Lead	ppm	ASTM D5185m	>10	<1	2	1
Copper	ppm	ASTM D5185m	>75	3	6	6
Tin	ppm	ASTM D5185m	>10	<1	<1	0
Vanadium	ppm	ASTM D5185m		0	<1	0
Cadmium	ppm	ASTM D5185m		<1	<1	<1
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		44	74	68
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		<1	1	<1
Manganese	ppm	ASTM D5185m		<1	<1	<1
Magnesium	ppm	ASTM D5185m		13	19	15
Calcium	ppm	ASTM D5185m		2918	4476	3233
Phosphorus	ppm	ASTM D5185m		1012	1521	1115
Zinc	ppm	ASTM D5185m		1203	1897	1325
Sulfur	ppm	ASTM D5185m		4569	8575	5024
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	5	9	6
Sodium	ppm	ASTM D5185m		<1	<1	<1
Potassium	ppm	ASTM D5185m	>20	2	2	2
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		6713	1361	12944
Particles >6µm		ASTM D7647	>2500	152	547	1584
Particles >14μm		ASTM D7647	>640	5	91	75
Particles >21µm		ASTM D7647	>160	1	30	15
Particles >38µm		ASTM D7647	>40	0	2	0
Particles >71µm		ASTM D7647	>10	0	0	0
Oil Cleanliness		ISO 4406 (c)	>/18/16	20/14/10	18/16/14	21/18/13
FLUID DEGRADA	TION	method	limit/base	current	history1	history2

Acid Number (AN)


mg KOH/g ASTM D8045


1.27


1.22




OIL ANALYSIS REPORT









VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG
FLUID PROPER	ΓIES	method	limit/base	current	historv1	history2

. 20.2						
Visc @ 40°C	cSt	ASTM D445	55	90.2	87.65	79.0

MPLE	IMAGES	method	

Color

Bottom



GRAPHS Ferrous Alloys Particle Count 491 520 122,880 30,720 7,680 1,920 1999 Clea Non-ferrous Metals 480 120 Viscosity @ 40°C Acid Number (B/H0X) 2.00 2.00 1.50 1.00 0.50 100 cSt (40°C) 0.00 PG





Certificate 12367

Laboratory Sample No.

Lab Number : 06235833 Unique Number : 11124667

: WC0945512 Test Package : CONST

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 15 Jul 2024

Tested : 16 Jul 2024 Diagnosed : 16 Jul 2024 - Don Baldridge

SHERWOOD CONSTRUCTION CO INC

3219 WEST MAY ST WICHITA, KS US 67213

Contact: DOUG KING doug.king@sherwood.net T: (316)617-3161

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: SHEWIC [WUSCAR] 06235833 (Generated: 07/16/2024 14:50:20) Rev: 1

F: x: