

CONSTRUCTION EQUIPMENT VOLVO L70H 625046 - DIESEL ENGINE



Sample No: VCP443315

Oil Type: VOLVO ULTRA DIESEL ENGINE OIL 15W40 VDS-3

Job No:

VOLVO				
SAMPLE IN	NFORMATION			
Sample Number	-	VCP443315	VCP433515	
Sample Date		29 May 2024	28 Nov 2023	
Machine Hours		1639	870	
Oil Hours		0	0	
Oil Changed		Changed	Changed	
Sample Status		NORMAL	NORMAL	
OIL CONDI.	TION			
Visc @ 100°C	cSt	12.8	12.8	
Base Number (BN)		9.4	8.6	
Oxidation (PA)	%	80	75	
Chiadren (171)	70		7.5	
VOLVO	ISTICN			
CONTAMIN	IATION			
Water	%	NEG	NEG	
Soot %	%	■ 0.3	■ 0.3	
Nitration (PA)	%	68	65	
Sulfation (PA)	%	59	58	
Glycol	%	NEG	NEG	
Fuel	%	<1.0	<1.0	
Silicon	ppm	■8	1 9	
Sodium	ppm	■<1	3	
Potassium	ppm	2	 <1	
VOLVO				
WEAR ME	TALS			
Iron	ppm	21	□32	
Copper	ppm	■3	1 9	
Lead	ppm	<u> </u>	<u> </u>	
Tin	ppm	2	3	
Aluminum	ppm	6	1 6	
Chromium	ppm	2	2	
Molybdenum	ppm	48	■ 50	
Nickel	ppm	■<1	0	
Titanium	ppm	<1	0	
Silver	ppm	■ 0	0	
Manganese	ppm	■<1	4	
Vanadium	ppm	0	0	
ADDITIVES	7			
Calcium	ppm	1710	1723	
Magnesium	ppm	■510	633	
Zinc	ppm	1153	1377	
Phosphorus	ppm	■ 961	11118	
Barium	ppm	■0	2	
Darrain	PPIII			



ALTA EQUIPMENT COMPANY

5151 DR MARTIN LUTHER KING BLVD FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com

T: F: (239)481-3302

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

Depot:VOLVO0090Unique No:11059537Signed:Wes DavisReport Date:04 Jun 2024

ppm


Boron



CONSTRUCTION EQUIPMENT









CONSTRUCTION EQUIPMENTVOLVO L70H 625046 - TRANSMISSION (AUTO)



Sample No: VCP447737

Oil Type: VOLVO AUTOMATIC TRANSMISSION FLUID AT102

Job No:

VOLVO SAMPLE	INFORMATIO	N		
Sample Number		VCP447737	VCP434284	
Sample Date		29 May 2024	28 Nov 2023	
Machine Hours		1639	870	
Oil Hours		0	0	
Oil Changed		Not Changd	Not Changd	
		ABNORMAL	NORMAL	
Sample Status		ADNORIVIAL	NORMAL	
VOLVO				
OIL CON	DITION			
Visc @ 40°C	cSt	27.6	□ 28.1	
		_	_	
VOLVO				
LUNIAN	MINATION			
Water	%	NEG	NEG	
Silicon	ppm	11	■3	
Sodium	ppm	4	■41	
Potassium	ppm	■ 3	8	
WEAR M	AFTAI S			
_		A 465		
Iron	ppm	<u>▲</u> 165	■33	
Copper	ppm	8	- <1	
Lead 	ppm	■ <1	0	
Tin	ppm	0	- <1	
Aluminum	ppm	■ <1	1 2	
Chromium	ppm	■ <1	- <1	
Molybdenum	ppm	0	- <1	
Nickel	ppm	0	- <1	
Titanium	ppm	0	<1	
Silver	ppm	0	0	
Manganese	ppm	10	- <1	
Vanadium	ppm	<1	1	
VOLVO				
ADDITIV	IES			
Calcium	ppm	82	1 1	
Magnesium	ppm	1	<1	
Zinc	ppm	■39	1 0	
Phosphorus	ppm	212	■33	
Barium		2 2	2	
Boron	ppm	■ 2	4	
DOTOIT	ppm	00	4	



ALTA EQUIPMENT COMPANY

5151 DR MARTIN LUTHER KING BLVD FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com T:

F: (239)481-3302

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. The iron level is abnormal. All other component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.

Depot:VOLVO0090Unique No:11060211Signed:Don BaldridgeReport Date:05 Jun 2024



CONSTRUCTION EQUIPMENT





