

# PROBLEM SUMMARY

Sample Rating Trend



ISO




Machine Id  
**2877267 (S/N 1054)**

Component  
**Compressor**  
Fluid  
**NOT GIVEN (--- GAL)**

## COMPONENT CONDITION SUMMARY

### ▲ Particle Trend



## RECOMMENDATION

We recommend you service the filters on this component. Resample at the next service interval to monitor.

## PROBLEMATIC TEST RESULTS

Sample Status				<b>ABNORMAL</b>	---	---
Particles >6µm	ASTM D7647	>1300	▲ <b>24918</b>	---	---	---
Particles >14µm	ASTM D7647	>80	▲ <b>716</b>	---	---	---
Particles >21µm	ASTM D7647	>20	▲ <b>153</b>	---	---	---
Oil Cleanliness	ISO 4406 (c)	>--/17/13	▲ <b>24/22/17</b>	---	---	---
Debris	scalar	*Visual	▲ <b>MODER</b>	---	---	---

Customer Id: AMGCAM  
Sample No.: KCP37271  
Lab Number: 05641630  
Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data:  
Angela Borella +1 800-237-1369  
[angela.borella@wearcheckusa.com](mailto:angela.borella@wearcheckusa.com)

To change component or sample information:  
Customer Service +1 1-800-237-1369  
[customerservice@wearcheck.com](mailto:customerservice@wearcheck.com)

## RECOMMENDED ACTIONS

Action	Status	Date	Done By	Description
Change Filter	---	---	?	We recommend you service the filters on this component.

## HISTORICAL DIAGNOSIS

# OIL ANALYSIS REPORT

Sample Rating Trend



ISO



Machine Id  
**2877267 (S/N 1054)**

Component  
**Compressor**  
Fluid  
**NOT GIVEN (--- GAL)**

## DIAGNOSIS

### ▲ Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### ▲ Contamination

There is a high amount of particulates present in the oil. Moderate concentration of visible dirt/debris present in the oil.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.

## SAMPLE INFORMATION

	method	limit/base	current	history 1	history 2
Sample Number			<b>KCP37271</b>	---	---
Sample Date			<b>31 Aug 2022</b>	---	---
Machine Age	hrs		<b>78931</b>	---	---
Oil Age	hrs		<b>2200</b>	---	---
Oil Changed			<b>N/A</b>	---	---
Sample Status			<b>ABNORMAL</b>	---	---

## WEAR METALS

	method	limit/base	current	history 1	history 2
Iron	ppm ASTM D5185m	>50	<b>3</b>	---	---
Chromium	ppm ASTM D5185m	>10	<b>0</b>	---	---
Nickel	ppm ASTM D5185m	>3	<b>&lt;1</b>	---	---
Titanium	ppm ASTM D5185m	>3	<b>0</b>	---	---
Silver	ppm ASTM D5185m	>2	<b>&lt;1</b>	---	---
Aluminum	ppm ASTM D5185m	>10	<b>2</b>	---	---
Lead	ppm ASTM D5185m	>10	<b>0</b>	---	---
Copper	ppm ASTM D5185m	>50	<b>16</b>	---	---
Tin	ppm ASTM D5185m	>10	<b>0</b>	---	---
Vanadium	ppm ASTM D5185m		<b>&lt;1</b>	---	---
Cadmium	ppm ASTM D5185m		<b>0</b>	---	---

## ADDITIVES

	method	limit/base	current	history 1	history 2
Boron	ppm ASTM D5185m		<b>0</b>	---	---
Barium	ppm ASTM D5185m		<b>6</b>	---	---
Molybdenum	ppm ASTM D5185m		<b>&lt;1</b>	---	---
Manganese	ppm ASTM D5185m		<b>&lt;1</b>	---	---
Magnesium	ppm ASTM D5185m		<b>34</b>	---	---
Calcium	ppm ASTM D5185m		<b>4</b>	---	---
Phosphorus	ppm ASTM D5185m		<b>5</b>	---	---
Zinc	ppm ASTM D5185m		<b>24</b>	---	---
Sulfur	ppm ASTM D5185m		<b>18969</b>	---	---

## CONTAMINANTS

	method	limit/base	current	history 1	history 2
Silicon	ppm ASTM D5185m	>25	<b>1</b>	---	---
Sodium	ppm ASTM D5185m		<b>7</b>	---	---
Potassium	ppm ASTM D5185m	>20	<b>&lt;1</b>	---	---
Water	% ASTM D6304	>0.05	<b>0.008</b>	---	---
ppm Water	ppm ASTM D6304	>500	<b>89.9</b>	---	---


## FLUID CLEANLINESS

	method	limit/base	current	history 1	history 2
Particles >4µm	ASTM D7647		<b>124674</b>	---	---
Particles >6µm	ASTM D7647	>1300	<b>▲ 24918</b>	---	---
Particles >14µm	ASTM D7647	>80	<b>▲ 716</b>	---	---
Particles >21µm	ASTM D7647	>20	<b>▲ 153</b>	---	---
Particles >38µm	ASTM D7647	>4	<b>5</b>	---	---
Particles >71µm	ASTM D7647	>3	<b>0</b>	---	---
Oil Cleanliness	ISO 4406 (c)	>--/17/13	<b>▲ 24/22/17</b>	---	---

## FLUID DEGRADATION

	method	limit/base	current	history 1	history 2
Acid Number (AN)	mg KOH/g ASTM D8045		<b>0.49</b>	---	---

# OIL ANALYSIS REPORT





VISUAL	method	limit/base	current	history 1	history 2
White Metal	scalar	*Visual	NONE	NONE	---
Yellow Metal	scalar	*Visual	NONE	NONE	---
Precipitate	scalar	*Visual	NONE	NONE	---
Silt	scalar	*Visual	NONE	NONE	---
Debris	scalar	*Visual	NONE	▲ MODER	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---
Appearance	scalar	*Visual	NORML	NORML	---
Odor	scalar	*Visual	NORML	NORML	---
Emulsified Water	scalar	*Visual	>0.05	NEG	---
Free Water	scalar	*Visual		NEG	---

FLUID PROPERTIES	method	limit/base	current	history 1	history 2
Visc @ 40°C	cSt	ASTM D445	55.0	---	---

SAMPLE IMAGES	method	limit/base	current	history 1	history 2
Color				no image	no image
Bottom				no image	no image

## GRAPHS



Certificate L2367

**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : KCP37271 **Received** : 14 Sep 2022  
**Lab Number** : 05641630 **Diagnosed** : 15 Sep 2022  
**Unique Number** : 10131160 **Diagnostician** : Angela Borella  
**Test Package** : IND 2 ( Additional Tests: KF, PrtCount )

**AMG VANADIUM RD**  
 60790 SOUTHGATE RD  
 CAMBRIDGE, OH  
 USA 43725  
 Contact: Service Manager

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:  
F: