

Laboratory:

WearCheck Canada Inc. C8-1175 Appleby Line Burlington, ON L7L 5H9 CANADA

Ship To:

Petro Canada Lubricants Inc. 385 Southdown Road Mississauga, ON L5J 2Y3 CA

Carton Contents:



12 x Sample Bottles

12 x Sample Mailers

12 x Sample Information Forms (SIFs)

SIF# WC0861502 to WC0861513



▼ scan to track samples from this carton and/or to manage these sample kits



CARTON ID **223798**

▼ keep for your records * THESE LABELS PEEL OFF * ▼ place on return shipping box



scan to track carton/samplesCustomer:

Shipped:

Snipped.



ID# 223798



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be label or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no avarantess, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 2 Phoenix / 003 Flare Gas / C Compressor / 102 Flare Gas

Machine: 03C102 - FLARE GAS COMPRESSOR

Component: Compressor

Scrieduled Sample L	Scheduled Sample Date. 10/12/2023 0///20			
	SCAN AS CO	MPONENT TAG IN PHONE APP		
لكاق إلكا	System Age	: hrs / days / mths / yrs		
	Fluid Age	: hrs / days / mths / yrs		
	Fluid Maint	: Changed / Not Changed / Topped-Up		
	Filter Age	: hrs / days / mths / yrs		
EID:1845163	Filter Maint	: Changed / Not Changed / Cleaned		
0				

Comments:

1000-233

- ▲ IF INFO COMPLETED *RETURN* THIS FORM WITH SHIPMENT
- ▼ STICK ON **SAMPLE BOTTLE**

▼ *KEEP* TO TRACK



PETMIS

2Phoenix/003 Flare Gas / Compressor / 102 Flare Gas 03C102 - FLARE GAS COMPRESSOR Compressor EID:1845163

EID:1845163 Sample Date:

10/12/2023 or / /20



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be lable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance or any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 2 Phoenix / 007 Hydrobon/Plat / C Compressor / 2 Recycle

Machine: 07TC2 LUBE OIL. RECYCLE COMP.

Component: Centrifugal Compressor

Scrieduled Sample I	Scrieduled Sample Date. 10/02/2023 0///20/20				
	◀ SCAN AS CO	MPONENT TAG IN PHONE APP			
العرورات	System Age	: hrs / days / mths / yrs			
	Fluid Age	: hrs / days / mths / yrs			
	Fluid Maint	: Changed / Not Changed / Topped-Up			
	Filter Age	: hrs / days / mths / yrs			
EID:556429	Filter Maint	: Changed / Not Changed / Cleaned			
Comments:					

1000-233

- ▲ IF INFO COMPLETED RETURN THIS FORM WITH SHIPMENT.
- ▼ STICK ON **SAMPLE BOTTLE**

▼ **KEEP** TO TRACK



PETMIS

2Phoenix/007HydrotonPtal/CCompressor/2Recycle@s 07TC2LUBE OIL, RECYCLE COMP. Centrifugal Compressor EID:556429

Sample Date: 10/02/2023

or / /20



[5 Utilities / 030 Boiler House / B Blower/Fan / 702A #9 FD Fan East 1 30TB702A



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / B Blower/Fan / 702A #9 FD Fan East

Machine: 30TB702A Component: Turbine

Scheduled Sample I	Date: 10/05/2023	3 or/20
	◀ SCAN AS CO	MPONENT TAG IN PHONE APP
四形凹	System Age	:hrs / days / mths / yrs
	Fluid Age	:hrs / days / mths / yrs
ENGT:	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	:hrs / days / mths / yrs
EID:341394	Filter Maint	: Changed / Not Changed / Cleaned

▲ IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT

▼ STICK ON **SAMPLE BOTTLE KEEP** TO TRACK

PETMIS



Comments:

5 Utilities / 030 Boiler House / B BlowerFan / 702A #9 FD Fan East 30TB702A Turbine EID:341394 Sample Date: 10/05/2023 /20 or /



1000-233



SCAN TO COMPLETE ON-LINE



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or faiture of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.

SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / B Blower/Fan / 702B #9 FD Fan West

Machine: 30TB702B Component: Turbine

Scheduled Sample I	Date: 10/05/2023	3 or//20
	◀ SCAN AS CO	MPONENT TAG IN PHONE APP
لكانولكا	System Age	: hrs / days / mths / yrs
	Fluid Age	: hrs / days / mths / yrs
	Fluid Maint	: Changed / Not Changed / Topped-Up
المناب اللا	Filter Age	: hrs / days / mths / yrs
EID:203217	Filter Maint	: Changed / Not Changed / Cleaned

Comments:

1000-233

▲ IF INFO COMPLETED *RETURN* THIS FORM WITH SHIPMENT

▼ STICK ON SAMPLE BOTTLE

▼ KEEP TO TRACK



PETMIS

5 Utilities / CGO Boiler House / B Blower Fan / 702B #9 FD Fan West

30TB702B

Turbine EID:203217

Sample Date: 10/05/2023

or / /20



I 5 Utilities / 030 Boiler House / B Blower/Fan / 713 #13 FD East 1 30TB713



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be lable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance or any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / B Blower/Fan / 713 #13 FD

Machine: 30TB713

Component: Turbine

Scheduled Sample [Date: 10/05/2023	3 or/20	
	SCAN AS CO	MPONENT TAG IN PHONE AP	Р
	System Age	: hrs / days / mths / y	yrs
	Fluid Age	: hrs / days / mths / y	/rs
	Fluid Maint	: Changed / Not Changed / Topped-	Up
	Filter Age	: hrs / days / mths / y	yrs
EID:203221	Filter Maint	: Changed / Not Changed / Cleaned	

Comments:

1000-233

- ▲ IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT
- ▼ STICK ON **SAMPLE BOTTLE**

▼ KEEP TO TRACK



PETMIS 5 Utilities / 030 Boiler House / B BloweriFan / 713 #13 FD East 30TB713

Turbine EID:203221

Sample Date: **10/05/2023** or / /2

/20

I 5 Utilities / 030 Boiler House / B Blower/Fan / 713A #13 FD West I 30TB713A



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / B Blower/Fan / 713A #13 FD West

Machine: 30TB713A Component: Turbine

Scheduled Sample I	Date: 10/05/2023	3 or/20	
SCAN AS COMPONENT TAG IN PHONE A			
اكان، لكا	System Age	: hrs / days / mths / yrs	
	Fluid Age	:hrs / days / mths / yrs	
	Fluid Maint	: Changed / Not Changed / Topped-Up	
	Filter Age	:hrs / days / mths / yrs	
EID:203222	Filter Maint	: Changed / Not Changed / Cleaned	

▲ IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT

▼ STICK ON **SAMPLE BOTTLE KEEP** TO TRACK



Comments:

PETMIS 5 Utilities / 030 Boiler House / B Blower/Fan / 713A #13 FD West 30TB713A Turbine EID:203222 Sample Date: 10/05/2023 /20 or /



1000-233

I 5 Utilities / 030 Boiler House / C Compressor / 707 #7 Air Compressor 1 30C707 CENTR.



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / C Compressor / 707 #7 Air Compressor

Machine: 30C707 CENTR.

Component: Centrifugal Compressor

Scheduled Sample Date: 10/05/2023 or/20			
	SCAN AS CO	MPONENT TAG IN PHONE APP	
لكا الدلكا	System Age	:hrs / days / mths / yr	
	Fluid Age	:hrs / days / mths / yr	
	Fluid Maint	: Changed / Not Changed / Topped-U	
	Filter Age	:hrs / days / mths / yr	
EID:203188	Filter Maint	: Changed / Not Changed / Cleaned	
Comments:			

IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT

STICK ON SAMPLE BOTTLE **KEEP** TO TRACK

WC0861508

PETMIS

5 Utilities / C30 Boiler House / C Compressor / 707 #7 Air Compressor 30C707 CENTR. Centrifugal Compressor EID:203188

/20

Sample Date: 10/05/2023



1000-233



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / C Compressor / 707 #7 Air Compressor

Machine: 30MC707 IB MOTOR Component: Inboard Bearing

Scheduled Sample [Date: 10/05/2023	3 or//20
	SCAN AS CO	MPONENT TAG IN PHONE APP
뜨눥뜨	System Age	: hrs / days / mths / yrs
	Fluid Age	: hrs / days / mths / yrs
	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	: hrs / days / mths / yrs
EID:203207	Filter Maint	: Changed / Not Changed / Cleaned

IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT

STICK ON SAMPLE BOTTLE **KEEP** TO TRACK

WC0861509

Comments:

PETMIS

or /

5 Utilities / C30 Boiler House / C Compressor / 707 #7 Air Compressor 30MC707 IB MOTOR Inboard Bearing EID:203207 Sample Date: 10/05/2023

/20



1000-233



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be lable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warrantes, representations, or quarrantes with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / C Compressor / 707 #7 Air Compressor

Machine: 30MC707 OB MOTOR Component: Outboard Bearing

Scheduled Sample	Date: 10/05/202 3	3 or/20
плп	◀ SCAN AS CO	MPONENT TAG IN PHONE APP
العاردالكا	System Age	: hrs / days / mths / yrs
	Fluid Age	: hrs / days / mths / yrs
	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	: hrs / days / mths / yrs
EID:203208	Filter Maint	: Changed / Not Changed / Cleaned

Comments:

1000-233

- ▲ IF INFO COMPLETED *RETURN* THIS FORM WITH SHIPMENT
- ▼ STICK ON SAMPLE BOTTLE

▼ KEEP TO TRACK



PETMIS

or /

Sulfies (Olibel House (Compress) 701 F la Compressor 30MC707 OB MOTOR Outboard Bearing EID:203208 Sample Date: 10/05/2023

/20



I 5 Utilities / 030 Boiler House / C Compressor / 708 #8 Air Compressor 1 30C708 CENTR.



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / C Compressor / 708 #8 Air Compressor

Machine: 30C708 CENTR.

Component: Centrifugal Compressor

Scrieduled Sample Date: 10/03/2023 0///20					
	◀ SCAN AS CO	MPONENT TAG IN PHONE APP			
	System Age	: hrs / days / mths / yrs			
<u> </u>	Fluid Age	: hrs / days / mths / yrs			
	Fluid Maint	: Changed / Not Changed / Topped-Up			
	Filter Age	: hrs / days / mths / yrs			
EID:203189	Filter Maint	: Changed / Not Changed / Cleaned			

1000-233

- IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT
- ' STICK ON **SAMPLE BOTTLE**

KEEP TO TRACK



PETMIS

5 Utilities / C30 Boiler House / C Compressor / 708 #8 Air Compressor 30C708 CENTR. Centrifugal Compressor EID:203189 Sample Date:

10/05/2023 /20 or /



I 5 Utilities / 030 Boiler House / C Compressor / 709 #9 Air Compressor 1 30C709 CENTR.



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or uaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 030 Boiler House / C Compressor / 709 #9 Air Compressor

Machine: 30C709 CENTR.

Component: Centrifugal Compressor

Scrieduled Sample i	Jale. 10/05/2023	01/20
MY M	SCAN AS CO	MPONENT TAG IN PHONE APP
التان التالية	System Age	:hrs / days / mths / yrs
	Fluid Age	:hrs / days / mths / yrs
	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	:hrs / days / mths / yrs
EID:203190	Filter Maint	: Changed / Not Changed / Cleaned
Comments:		

1000-233

- IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT
- STICK ON **Sample Bottle**

KEEP TO TRACK



PETMIS

5 Utilities / COO Boiler House / C Compressor / 709 #9 Air Compressor 30C709 CENTR. Centrifugal Compressor EID:203190 Sample Date:

/20

10/05/2023



[5 Utilities / 031 Water Pumping / P Pump / 757 Plant Water#7] 31GP757



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 031 Water Pumping / P Pump / 757 Plant Water#7

Machine: 31GP757

Component: Gearbox

Scheduled Sample [Date: 10/05/2023	3 or//20
	MPONENT TAG IN PHONE APP	
اكان اكا	System Age	: hrs / days / mths / yrs
	Fluid Age	: hrs / days / mths / yrs
	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	: hrs / days / mths / yrs
EID:203232	Filter Maint	: Changed / Not Changed / Cleaned

Comments:

1000-233

- ▲ IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT
- ▼ STICK ON **SAMPLE BOTTLE**

KEEP TO TRACK



PETMIS

5 Utilities / 031 Water Pumping / P Pump / 757 Plant Water#7 31GP757

Gearbox EID:203232

Sample Date: 10/05/2023

/20 or___/_





Laboratory:

WearCheck Canada Inc. C8-1175 Appleby Line Burlington, ON L7L 5H9 CANADA

Ship To:

Petro Canada Lubricants Inc. 385 Southdown Road Mississauga, ON L5J 2Y3 CA

L 5 J 2 Y 3

Carton Contents:



- 1 x Sample Bottles
- 1 x Sample Mailers
- 1 x Sample Information Forms (SIFs)

SIF# WC0861514 to WC0861514



▼ scan to track samples from this carton and/or to manage these sample kits



carton id **223799**

▼ keep for your records * THESE LABELS PEEL OFF * ▼ place on return shipping box



scan to track carton/samples
Customer:

Shipped:



ID# 223799

[5 Utilities / 031 Water Pumping / P Pump / 758 Plant Water#8] 31GP758



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



SCHEDULED OIL SAMPLE - MATCH LABEL TO MACHINE

Cust ID: PETMIS

Area: 5 Utilities / 031 Water Pumping / P Pump / 758 Plant Water#8

Machine: 31GP758

Component: Gearbox

Scheduled Sample I	Date: 10/05/2023	3 or/20
	◀ SCAN AS CO	MPONENT TAG IN PHONE APP
	System Age	: hrs / days / mths / yrs
	Fluid Age	: hrs / days / mths / yrs
- 7	Fluid Maint	: Changed / Not Changed / Topped-Up
	Filter Age	: hrs / days / mths / yrs
EID:203233	Filter Maint	: Changed / Not Changed / Cleaned

COI	111	nei	us.

1000-233

- ▲ IF INFO COMPLETED **RETURN** THIS FORM WITH SHIPMENT
- ▼ STICK ON SAMPLE BOTTLE

KEEP TO TRACK



PETMIS

5 Utilities / 031 Water Pumping / P Pump / 758 Plant Water#8 31GP758

Gearbox

EID:203233

Sample Date: 10/05/2023

/20 or___/__

