

Laboratory:

WearCheck Canada Inc. C8-1175 Appleby Line Burlington, ON L7L 5H9 CANADA

Ship To:

Portage Power - Energy Ottawa 4 Booth Street
Ottawa, ON K1R 6K8
CA

K 1 R 6 K 8

Carton Contents:



12 x Sample Bottles

12 x Sample Mailers

12 x Sample Information Forms (SIFs)

SIF# WC0966522 to WC0966533



▼ scan to track samples from this carton and/or to manage these sample kits



CARTON ID 261816

▼ keep for your records * THESE LABELS PEEL OFF * ▼ place on return shipping box



scan to track carton/samples Customer:

Shipped:



ID# 261816



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be labeled or responsible for the future performance or failure of any engine, piece of equipment or matterial involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



WC0966522

Cust Unit ID:		
Manufacturer:		
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: Top	Main (Bottom)	Conservator
Fluid Type: Mineral API I	Mineral API II	Silicone
□ Natural Ester □	Synthetic Ester	Other
Fluid:		
Volume: Gall		id Temp:F/C
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED <i>RETUR</i>		N CASE
STICK ON BOTTLE	•	STICK ON SYRINGE
315-40-+8131		

ID or S/N:

WC0966522

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or faulture of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



Cust Unit ID:		
Serial No.:		
Manufacturer:		
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: Top M	ain (Bottom)	☐ Conservator
Fluid Type: 🗌 Mineral API I 🗎 M	ineral API II	Silicone
☐ Natural Ester ☐ Sy	nthetic Ester	Other
Fluid:		
Volume: Gallon	Liter Flui	id Temp: F / 0
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED RETURN T STICK ON BOTTLE		N CASE ▼ STICK ON SYRINGE
STICK ON BOTTLE	,	V STICK ON STRINGE

WC0966523

ID or S/N:

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.



WC0966524

Cust Unit ID:	
Serial No.:	
Manufacturer:	Year:
Power / Voltage Rating:k	kVA / kV
Sample Date: MM / DD / YY	
Sample Location: Top Ma	in (Bottom) Conservator
Fluid Type: Mineral API I Min	eral API II Silicone
☐ Natural Ester ☐ Syr	nthetic Ester Other
Fluid:	
Volume: Gallon G	Liter Fluid Temp:F/0
Comments:	
Add Tests:	1000-234
, IF INFO COMPLETED <i>RETURN</i> TH	
STICK ON BOTTLE	▼ STICK ON SYRINGE
可以2024间	
ID or S/N:	

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be label or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warrantees, representations, or quarrantees with respect to the performance of any such engine, piece of equipment, or material.

WC0966525



uaranties with respect to the performan	ce of any such engine, pie	ce of equipment, or material.	WCU	966525
Cust Unit ID:				
Serial No.:				
Manufacturer:				
Power / Voltage Rat	ing:	kVA /	kV	
Sample Date: MM	DD/YY			
Sample Location:	□ Top □	Main (Bottom)	☐ Conse	rvator
Fluid Type: Mine	eral API I	Mineral API II	Silicon	е
☐ Nati	ural Ester 🗆	Synthetic Ester	Other_	
Fluid:				
Volume:			id Temp:	F/0
Comments:				
Add Tests:				1000-234
IF INFO COMPLE	TED RETUR	N THIS FORM	IN CASE	
STICK ON BOTTL	E	•	STICK O	N SYRINGE
	ID or S/N:		먨	
	Sample Da	ate:		**



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be laisable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.



WC0966526

Cust Unit ID:		
Serial No.:		
Manufacturer:		
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: Top	Main (Bottom)	☐ Conservator
Fluid Type: 🗌 Mineral API I 🕻	Mineral API II	Silicone
☐ Natural Ester ☐	Synthetic Ester	Other
Fluid:		
Volume: G	allon 🗆 Liter Flui	id Temp: F / C
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED RETU		
STICK ON BOTTLE	•	STICK ON SYRINGE

ID or S/N:

WC0966526

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or faulture of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



Cust Unit ID:	
Serial No.:	
	Year:
Power / Voltage Rating:	kVA /kV
Sample Date: MM / DD / YY	
Sample Location: Top	☐ Main (Bottom) ☐ Conservator
Fluid Type: Mineral API I	☐ Mineral API II ☐ Silicone
☐ Natural Ester ☐	Synthetic Ester Other
Fluid:	
	allon Liter Fluid Temp:F/C
Comments:	
Add Tests:	1000-234
IF INFO COMPLETED <i>RETU</i>	IRN THIS FORM IN CASE
STICK ON BOTTLE	▼ STICK ON SYRINGE



ID or S/N:

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be laisible or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance or any such engine, piece of equipment, or material.

Cust Unit ID:



Ε

Serial No.:				
Manufacturer:			Year:	
Power / Voltage Ra	ting:	kVA /	kV	
Sample Date: MM	/DD/YY			
Sample Location:	□ Тор □	Main (Bottom)	☐ Conservator	
Fluid Type: Mir	eral API I	Mineral API II	Silicone	
☐ Nat	ural Ester 🗆	Synthetic Ester	Other	
Fluid:		•		
Volume:		Ion 🗆 Liter Flu	id Temp:	F
Comments:				
Add Tests:			1000)-234
IF INFO COMPLE	TED RETUR	N THIS FORM	IN CASE	
STICK ON BOTTI	.E	,	STICK ON SY	RING
			_ 	
	ID or S/N	:		큭
			7.55	7;
	Sample D	ate:		٥
				7
NC0966528	-		WC09665	28



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or faulture of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.



Cust Unit ID:		
Serial No.:		
Manufacturer:		Year:
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: \Box Top	Main (Bottom)	☐ Conservator
Fluid Type: 🗌 Mineral API I 🗆	Mineral API II	Silicone
☐ Natural Ester ☐	Synthetic Ester	Other
Fluid:		
Volume: Ga		id Temp:F/C
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED RETU		
STICK ON BOTTLE	•	▼ STICK ON SYRINGE

WC0966529

ID or S/N:

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.



WC0966530

Cust Unit ID:		
Serial No.:		
Manufacturer:		Year:
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: \Box Top \Box	Main (Bottom)	☐ Conservator
Fluid Type: Mineral API I	Mineral API II	Silicone
☐ Natural Ester ☐	Synthetic Ester	☐ Other
Fluid:		
Volume: Ga		d Temp: F / 0
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED RETU	RN THIS FORM I	N CASE
STICK ON BOTTLE	•	STICK ON SYRINGE

ID or S/N:

WC0966530

Sample Date:



WC0966531

WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be laisible or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or quaranties with respect to the performance or any such engine, piece of equipment, or material.



Cust Unit ID:				
Serial No.:				
Manufacturer:				
Power / Voltage Rat	ing:	kVA /	kV	
Sample Date: MM	DD/YY			
Sample Location:	□ Top □	Main (Bottom)	☐ Conse	ervator
Fluid Type: Min	eral API I 🗆	Mineral API II	Silico	ne
☐ Nati	ural Ester 🗆	Synthetic Ester	r 🗆 Other	
Fluid:				
Volume:	Gall	on 🗆 Liter Flu	uid Temp: _	F/
Comments:				
Add Tests:				1000-234
IF INFO COMPLE				
STICK ON BOTTL	.E		▼ STICK C	ON SYRING
	ID or S/N:			
	.5 0, 0/14.		W.T	
	Sample D	ate:		



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be labeled or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes on warrantes, representations, or quaranties with respect to the performance of any such engine, piece of equipment, or material.



Cust Unit ID:		
Serial No.:		
Manufacturer:		Year:
Power / Voltage Rating:	kVA /	kV
Sample Date: MM / DD / YY		
Sample Location: \Box Top \Box	Main (Bottom)	☐ Conservator
Fluid Type: 🗌 Mineral API I 🗆	Mineral API II	Silicone
☐ Natural Ester ☐	Synthetic Ester	Other
Fluid:		
Volume: Ga		id Temp: F / 0
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED RETU	RN THIS FORM I	N CASE
STICK ON BOTTLE	•	STICK ON SYRINGE
30.25 M (S)		

ID or S/N:

Sample Date:



WC sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault. WC shall not be liable or responsible for the future performance or failure or anyingine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance or any such engine, piece of equipment, or material.



Cust Unit ID:		
Serial No.:		
Manufacturer:		Year:
Power / Voltage Rating: _	kVA /	kV
Sample Date: MM / DD /	YY	
Sample Location: To	p	☐ Conservator
Fluid Type: 🗌 Mineral A	API I 🗆 Mineral API II	Silicone
☐ Natural E	ster Synthetic Ester	Other
Fluid:		
Volume:		id Temp:F / C
Comments:		
Add Tests:		1000-234
IF INFO COMPLETED	RETURN THIS FORM	
STICK ON BOTTLE	,	▼ STICK ON SYRINGE



ID or S/N:

Sample Date: