

SAMPLE SUBMISSION FORM

Oil Analysis Laboratories

501 Madison Avenue Cary, NC 27513

Burlington, ON L7L 5H9 **CANADA** 1-800-268-2131 (905) 569-8600

USA 1-800-237-1369 (919) 379-4102 Fax (919) 379-4050 Fax (905) 569-8605

NOTE 1: For sample identification, please ensure that you either print labels and place on the sample bottle or that you label the sample cap with the reference number (*Label) shown below.

C8-1175 Appleby Line

NOTE 2: Please attach 10 Sample Information Forms (SIFs) as proof of payment for these analysis.

WEARCHECK sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault.

WEARCHECK shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.

Shipping Info

Shipped Via:

Tracking Number:

Shipped On:

Submitted By: Loren Michael [Constructors Inc. - 603659]

SAMPLING INSTRUCTIONS AND PRECAUTIONS

For best results we suggest the following precautions when taking the sample.

INSTRUCTIONS FOR TAKING SAMPLE - the SAMPLE should not be taken MORE THAN 30 MINUTES after shutdown, and the oil should have been in service for at least 10 hours or 500 miles, before the oil can accurately reflect wear conditions. AVOID CONTAMINATION OF THE SAMPLE - Clean around the drain plug before draining. Remove the drain, and when about half the oil has run out, catch the sample by inserting the bottle into the oil stream. The bottle should be at least 3/4 filled. Do not remove the bottle cap until you are ready to take the sample, and recap the bottle immediately after filling. Take care not to confuse samples from different units,

Or, remove sample with a suction pump by inserting the siphon tube down the dipstick tube or into the sump/reservoir. The siphon tube must be clean by either replacement or rinsing with a solvent and drying. Do not rinse with gasoline or diesel fuel. Or, Engines with sample ports (i.e. gauge plugs, probalizer mini-plugs), follow the specific instructions pertaining to the sampling device purchased.

Constructors Inc. - 603659

*Label Sample Number Test Package Sample Date	: 427258 : SBP0005551 : FLEET : 12/13/2023	Area Machine Id Component Fluid	CONSTRUCTORS, INC 04-0625 CHEVROLET 2,500 HD Gasoline Engine MOBIL SUPER 5W30 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 11248.0 : 253.0 : : Changed : Changed
*Label Sample Number Test Package Sample Date	: 427265 : SBP0005558 : FLEET : 12/13/2023	Area Machine Id Component Fluid	CONSTRUCTORS, INC 04-0632 CHEVROLET GASOLINE Gasoline Engine MOBIL SUPER 5W30 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 8301.0 : 303.0 : : Changed : Changed
*Label Sample Number Test Package Sample Date	: 427264 : SBP0005557 : FLEET : 12/13/2023	Area Machine Id Component Fluid	CONSTRUCTORS, INC 04-0633 FORD GASOLINE Gasoline Engine MOBIL MOBIL 1 EXT PERFORMANCE 5W20 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 9506.0 : 458.0 : : Changed : Changed
*Label Sample Number Test Package Sample Date	: 427255 : SBP0005550 : FLEET : 12/13/2023	Machine Id Component Fluid	040699 Gasoline Engine PETRO CANADA DURON ADVANCED 5W30 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 4120.0 : 292.0 : : Changed : Changed
*Label Sample Number Test Package Sample Date	: 427253 : SBP0005549 : FLEET : 12/13/2023	Area Machine Id Component Fluid	CONSTRUCTORS, INC 090780 PERKINS DIESEL Diesel Engine MOBIL DELVAC 1300 SUPER 10W30 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 6774.0 : 543.0 : : Changed : Changed
*Label Sample Number Test Package Sample Date	: 427259 : SBP0005552 : FLEET : 12/13/2023	Machine Id Component Fluid	292102 JD PROFILER GATOR Gasoline Engine PETRO CANADA DURON ADVANCED 10W30 (GAL)	Machine Age Fluid Age Filter Age Fluid Maintenance Filter Maintenance	: 315.0 : 120.0 : : Changed : Changed

Transit Id: 427253 to 427289 Page 1 of 2



Transit Id: 427253 to 427289 Page 2 of 2