



# SAMPLE SUBMISSION FORM

## Oil Analysis Laboratories

501 Madison Avenue C8-1175 Appleby Line  
 Cary, NC 27513 Burlington, ON L7L 5H9  
 USA CANADA  
 1-800-237-1369 1-800-268-2131  
 (919) 379-4102 (905) 569-8600  
 Fax (919) 379-4050 Fax (905) 569-8605

WEARCHECK sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault.

WEARCHECK shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.

**NOTE 1:** For sample identification, please ensure that you either print labels and place on the sample bottle or that you label the sample cap with the reference number (\*Label) shown below.

**NOTE 2:** Please attach 21 Sample Information Forms (SIFs) as proof of payment for these analysis.

### Shipping Info

Shipped Via: CanadaPost

Tracking Number:

Shipped On: 09/29/2023

Submitted By: BILL BUTLER [Oil Filtration Solutions Ltd.]

### SAMPLING INSTRUCTIONS AND PRECAUTIONS

For best results we suggest the following precautions when taking the sample.

**INSTRUCTIONS FOR TAKING SAMPLE** - the SAMPLE should not be taken MORE THAN 30 MINUTES after shutdown, and the oil should have been in service for at least 10 hours or 500 miles, before the oil can accurately reflect wear conditions. **AVOID CONTAMINATION OF THE SAMPLE** - Clean around the drain plug before draining. Remove the drain, and when about half the oil has run out, catch the sample by inserting the bottle into the oil stream. The bottle should be at least 3/4 filled. Do not remove the bottle cap until you are ready to take the sample, and recap the bottle immediately after filling. Take care not to confuse samples from different units. Or, remove sample with a suction pump by inserting the siphon tube down the dipstick tube or into the sump/reservoir. The siphon tube must be clean by either replacement or rinsing with a solvent and drying. Do not rinse with gasoline or diesel fuel. Or, Engines with sample ports (i.e. gauge plugs, probalizer mini-plugs), follow the specific instructions pertaining to the sampling device purchased.

### Oil Filtration Solutions Ltd.



\*Label : 399870  
 Sample Number : OF0000516  
 Test Package : MOB 1  
 Sample Date : 08/09/2023

Area (3216002423) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV DEANNA DEAN  
 Component KUBOTA V2203 2HU4326 1 Genset  
 Fluid (6)

Machine Age : 1611.0  
 Fluid Age : 900.0  
 Filter Age : 900.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399871  
 Sample Number : OF0000514  
 Test Package : MOB 1  
 Sample Date : 08/09/2023

Area (3216002423) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV DEANNA DEAN  
 Component KUBOTA V3300 2HU4325 2 Genset  
 Fluid (22 LTR)

Machine Age : 8104.0  
 Fluid Age : 700.0  
 Filter Age : 700.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399872  
 Sample Number : OF0000515  
 Test Package : MOB 1  
 Sample Date : 08/09/2023

Area (3216002423) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV DEANNA DEAN  
 Component MVDDHS Hydraulic System  
 Fluid (2000 LTR)

Machine Age : 5725.0  
 Fluid Age : 5725.0  
 Filter Age : 225.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399873  
 Sample Number : OF0000507  
 Test Package : MOB 1  
 Sample Date : 08/09/2023

Area (3216002423) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV DEANNA DEAN  
 Component CUMMINS QSK19-M 37283661 Main Engine  
 Fluid (84 LTR)

Machine Age : 5023.0  
 Fluid Age : 1400.0  
 Filter Age : 400.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399874  
 Sample Number : OF0000513  
 Test Package : MOB 1  
 Sample Date : 08/09/2023

Area (3216002423) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV DEANNA DEAN  
 Component TWIN DISC 3T1143 Transmission  
 Fluid (40 LTR)

Machine Age : 5023.0  
 Fluid Age : 1500.0  
 Filter Age : 1500.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399882  
 Sample Number : OF0000570  
 Test Package : MOB 1  
 Sample Date : 06/16/2023

Area (316002301) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV EASTERN EXPLORER  
 Component CATERPILLAR C2.2 SAJ01840 1 Genset  
 Fluid (15 LTR)

Machine Age : 6788.0  
 Fluid Age : 750.0  
 Filter Age : 750.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399883  
 Sample Number : OF0000567  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area (316002301) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV EASTERN EXPLORER  
 Component KUBOTA V3300 1MN8821 2 Genset  
 Fluid (22 LTR)

Machine Age :  
 Fluid Age : 750.0  
 Filter Age : 750.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399884  
 Sample Number : OF0000568  
 Test Package : MOB 1  
 Sample Date : 07/10/2023

Area (316002301) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV EASTERN EXPLORER  
 Component MVEEHS Hydraulic System  
 Fluid (1300 LTR)

Machine Age :  
 Fluid Age : 3850.0  
 Filter Age : 500.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Changed



\*Label : 399885  
 Sample Number : OF0000576  
 Test Package : MOB 1  
 Sample Date : 07/10/2023

Area (316002301) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV EASTERN EXPLORER  
 Component CATERPILLAR 60M03758 Main Engine  
 Fluid (142 LTR)

Machine Age : 1500.0  
 Fluid Age : 1500.0  
 Filter Age : 500.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399886  
 Sample Number : OF0000569  
 Test Package : MOB 1  
 Sample Date : 07/10/2023

Area (316002301) A & S FISHING ENTERPRISES LTD  
 Machine Id FISHING VESSEL MV EASTERN EXPLORER  
 Component TWIN DISC 198.03751 Transmission  
 Fluid (40 LTR)

Machine Age : 1500.0  
 Fluid Age : 1500.0  
 Filter Age : 1500.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 397596  
 Sample Number : OF0000779  
 Test Package : MOB 1  
 Sample Date : 02/12/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component KUBOTA 2HU3473 1 Genset  
 Fluid (20 LTR)

Machine Age : 2554.0  
 Fluid Age : 10.0  
 Filter Age : 10.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Not Changd



\*Label : 397597  
 Sample Number : OF0000778  
 Test Package : MOB 1  
 Sample Date : 02/12/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component KUBOTA V3800-T 2JU3377 2 Genset  
 Fluid (20 LTR)

Machine Age : 2554.0  
 Fluid Age : 10.0  
 Filter Age : 10.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Not Changd



\*Label : 397598  
 Sample Number : OF0000777  
 Test Package : MOB 1  
 Sample Date : 02/12/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component CUMMINS 6CTA8.3 29H6M0 3 Genset  
 Fluid (29 LTR)

Machine Age : 8368.0  
 Fluid Age : 10.0  
 Filter Age : 10.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Not Changd



\*Label : 397599  
 Sample Number : OF0000775  
 Test Package : MOB 1  
 Sample Date : 02/12/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component MVNJHS Hydraulic System  
 Fluid (3000 LTR)

Machine Age : 8368.0  
 Fluid Age : 8368.0  
 Filter Age : 600.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Not Changd



\*Label : 397600  
 Sample Number : OF0000780  
 Test Package : MOB 1  
 Sample Date : 02/12/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component MITSUBISHI S12A2-Y1MPTA 32501-80101 Main Engine  
 Fluid (144 LTR)

Machine Age : 7382.0  
 Fluid Age : 50.0  
 Filter Age : 50.0  
 Fluid Maintenance : Not Changd  
 Filter Maintenance : Not Changd



\*Label : 399764  
 Sample Number : OF0000664  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component KUBOTA 2HU3473 1 Genset  
 Fluid (20 LTR)

Machine Age : 3255.0  
 Fluid Age : 701.0  
 Filter Age : 701.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399765  
 Sample Number : OF0000665  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component KUBOTA V3800-T 2JU3377 2 Genset  
 Fluid (20 LTR)

Machine Age : 3283.0  
 Fluid Age : 729.0  
 Filter Age : 729.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399766  
 Sample Number : OF0000663  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area SCOTT ANDERSON LTD  
 Machine Id FISHING VESSEL MV NANCY JILLIAN  
 Component CUMMINS 6CTA8.3 29H6M0 3 Genset  
 Fluid (29 LTR)

Machine Age : 8368.0  
 Fluid Age : 413.0  
 Filter Age : 313.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399767  
 Sample Number : OF0000661  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area **SCOTT ANDERSON LTD**  
 Machine Id **FISHING VESSEL MV NANCY JILLIAN**  
 Component MVNJHS Hydraulic System  
 Fluid (3000 LTR)

Machine Age : 8681.0  
 Fluid Age : 8681.0  
 Filter Age : 313.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed



\*Label : 399768  
 Sample Number : OF0000669  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area **SCOTT ANDERSON LTD**  
 Machine Id **FISHING VESSEL MV NANCY JILLIAN**  
 Component MITSUBISHI S12A2-Y1MPTA 32501-80101 Main Engine  
 Fluid (144 LTR)

Machine Age : 8119.0  
 Fluid Age : 737.0  
 Filter Age : 737.0  
 Fluid Maintenance : Not Changed  
 Filter Maintenance : Changed



\*Label : 399769  
 Sample Number : OF0000666  
 Test Package : MOB 1  
 Sample Date : 09/27/2023

Area **SCOTT ANDERSON LTD**  
 Machine Id **FISHING VESSEL MV NANCY JILLIAN**  
 Component TWIN DISC 2193317 Transmission  
 Fluid (32 LTR)

Machine Age : 8119.0  
 Fluid Age : 737.0  
 Filter Age : 737.0  
 Fluid Maintenance : Changed  
 Filter Maintenance : Changed