



# SAMPLE SUBMISSION FORM

## Oil Analysis Laboratories

501 Madison Avenue C8-1175 Appleby Line  
 Cary, NC 27513 Burlington, ON L7L 5H9  
 USA CANADA  
 1-800-237-1369 1-800-268-2131  
 (919) 379-4102 (905) 569-8600  
 Fax (919) 379-4050 Fax (905) 569-8605

WEARCHECK sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault.

WEARCHECK shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.

**NOTE 1:** For sample identification, please ensure that you either print labels and place on the sample bottle or that you label the sample cap with the reference number (\*Label) shown below.

**NOTE 2:** Please attach 9 Sample Information Forms (SIFs) as proof of payment for these analysis.

### Shipping Info







Shipped Via: CanadaPost  
 Tracking Number:  
 Shipped On: 11/09/2023  
 Submitted By: BILL BUTLER [Oil Filtration Solutions Ltd.]

### SAMPLING INSTRUCTIONS AND PRECAUTIONS

For best results we suggest the following precautions when taking the sample.

**INSTRUCTIONS FOR TAKING SAMPLE** - the SAMPLE should not be taken MORE THAN 30 MINUTES after shutdown, and the oil should have been in service for at least 10 hours or 500 miles, before the oil can accurately reflect wear conditions.  
**AVOID CONTAMINATION OF THE SAMPLE** - Clean around the drain plug before draining. Remove the drain, and when about half the oil has run out, catch the sample by inserting the bottle into the oil stream. The bottle should be at least 3/4 filled. Do not remove the bottle cap until you are ready to take the sample, and recap the bottle immediately after filling. Take care not to confuse samples from different units.  
 Or, remove sample with a suction pump by inserting the siphon tube down the dipstick tube or into the sump/reservoir. The siphon tube must be clean by either replacement or rinsing with a solvent and drying. Do not rinse with gasoline or diesel fuel.  
 Or, Engines with sample ports (i.e. gauge plugs, probalizer mini-plugs), follow the specific instructions pertaining to the sampling device purchased.

### Oil Filtration Solutions Ltd.

	*Label : 415097 Sample Number : OF0000951 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : KUBOTA V3300 4G1143 1 Genset Fluid : PETRO CANADA DURON HP 15W40 (20 LTR)	Machine Age : 21855.0 Fluid Age : 1151.0 Filter Age : 1151.0 Fluid Maintenance : Changed Filter Maintenance : Changed
	*Label : 415098 Sample Number : OF0000958 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : KUBOTA V3300 4G1632 2 Genset Fluid : PETRO CANADA DURON HP 15W40 (20 LTR)	Machine Age : 19462.0 Fluid Age : 1250.0 Filter Age : 1250.0 Fluid Maintenance : Changed Filter Maintenance : Changed
	*Label : 415099 Sample Number : OF0000953 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : JOHN DEERE 6068TFM50 CD6068T750551 3 Genset Fluid : PETRO CANADA DURON HP 15W40 (30 LTR)	Machine Age : 8182.0 Fluid Age : 1657.0 Filter Age : 1657.0 Fluid Maintenance : Changed Filter Maintenance : Changed
	*Label : 415100 Sample Number : OF0000950 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : MVLTHS Hydraulic System Fluid : AW HYDRAULIC OIL ISO 32 (1400 LTR)	Machine Age : 8182.0 Fluid Age : 6185.0 Filter Age : 657.0 Fluid Maintenance : Not Changd Filter Maintenance : Not Changd
	*Label : 415101 Sample Number : OF0000952 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : CUMMINS K-19 37185293 Main Engine Fluid : PETRO CANADA DURON HP 15W40 (84 LTR)	Machine Age : 2453.0 Fluid Age : 1500.0 Filter Age : 500.0 Fluid Maintenance : Changed Filter Maintenance : Changed
	*Label : 415102 Sample Number : OF0000957 Test Package : MOB 2 Sample Date : 11/01/2023	Area : Y & J FISHERIES LTD Machine Id : FISHING VESSEL MV LASTING TRADITION Component : TWIN DISC 3AE-75 Transmission Fluid : PETRO CANADA DURATRAN (40 LTR)	Machine Age : 2453.0 Fluid Age : 1500.0 Filter Age : 500.0 Fluid Maintenance : Not Changd Filter Maintenance : Changed



\*Label : 412687  
Sample Number : OF0000719  
Test Package : MOB 2  
Sample Date : 11/02/2023

Area **OLIVIC FISHERIES LTD**  
Machine Id **FISHING VESSEL MV NEWFOUNDLAND MARINER**  
Component Nanni Diesel QM533M60 GDK16070077 1 Genset  
Fluid SHELL ROTELLA T 15W40 (8 LTR)

Machine Age : 8342.0  
Fluid Age : 787.0  
Filter Age : 787.0  
Fluid Maintenance : Not Changd  
Filter Maintenance : Not Changd



\*Label : 412688  
Sample Number : OF0000711  
Test Package : MOB 2  
Sample Date : 11/02/2023

Area **OLIVIC FISHERIES LTD**  
Machine Id **FISHING VESSEL MV NEWFOUNDLAND MARINER**  
Component MITSUBISHI S12A2-Y1MPTA 27481 Main Engine  
Fluid SHELL ROTELLA T 15W40 (144 LTR)

Machine Age : 15062.0  
Fluid Age : 290.0  
Filter Age : 290.0  
Fluid Maintenance : Not Changd  
Filter Maintenance : Not Changd



\*Label : 412689  
Sample Number : OF0000720  
Test Package : MOB 2  
Sample Date : 11/02/2023

Area **OLIVIC FISHERIES LTD**  
Machine Id **FISHING VESSEL MV NEWFOUNDLAND MARINER**  
Component TWIN DISC MVNMT Transmission  
Fluid SHELL ROTELLA T 30 (38 LTR)

Machine Age : 15062.0  
Fluid Age : 1771.0  
Filter Age : 290.0  
Fluid Maintenance : Not Changd  
Filter Maintenance : Not Changd