



# SAMPLE SUBMISSION FORM

## Oil Analysis Laboratories

501 Madison Avenue C8-1175 Appleby Line  
 Cary, NC 27513 Burlington, ON L7L 5H9  
 USA CANADA  
 1-800-237-1369 1-800-268-2131  
 (919) 379-4102 (905) 569-8600  
 Fax (919) 379-4050 Fax (905) 569-8605

WEARCHECK sample kits will be replaced with unused kits if defective in manufacture, labeling, or packaging, or if lost by us or any associate company even though by negligence or other fault.

WEARCHECK shall not be liable or responsible for the future performance or failure of any engine, piece of equipment or material involved in any test or sample. The Company makes no warranties, representations, or guaranties with respect to the performance of any such engine, piece of equipment, or material.

**NOTE 1:** For sample identification, please ensure that you either print labels and place on the sample bottle or that you label the sample cap with the reference number (\*Label) shown below.

**NOTE 2:** Please attach 6 Sample Information Forms (SIFs) as proof of payment for these analysis.

**Shipping Info**







Shipped Via:  
 Tracking Number:  
 Shipped On:  
 Submitted By: MICHELLE LITTLE [LESLIE EQUIPMENT COMPANY]

## SAMPLING INSTRUCTIONS AND PRECAUTIONS

For best results we suggest the following precautions when taking the sample.

**INSTRUCTIONS FOR TAKING SAMPLE** - the SAMPLE should not be taken MORE THAN 30 MINUTES after shutdown, and the oil should have been in service for at least 10 hours or 500 miles, before the oil can accurately reflect wear conditions. AVOID CONTAMINATION OF THE SAMPLE - Clean around the drain plug before draining. Remove the drain, and when about half the oil has run out, catch the sample by inserting the bottle into the oil stream. The bottle should be at least 3/4 filled. Do not remove the bottle cap until you are ready to take the sample, and recap the bottle immediately after filling. Take care not to confuse samples from different units. Or, remove sample with a suction pump by inserting the siphon tube down the dipstick tube or into the sump/reservoir. The siphon tube must be clean by either replacement or rinsing with a solvent and drying. Do not rinse with gasoline or diesel fuel. Or, Engines with sample ports (i.e. gauge plugs, probalizer mini-plugs), follow the specific instructions pertaining to the sampling device purchased.

## LESLIE EQUIPMENT COMPANY

	*Label : 377275 Sample Number : LEC0042254 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Diesel Engine Fluid : WIRTGEN GROUP LOW SAPS 10W30 (5 GAL)	Machine Age : 1401.0 Fluid Age : 645.0 Filter Age : 645.0 Fluid Maintenance : Changed Filter Maintenance : Changed
	*Label : 377276 Sample Number : LEC0042255 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Hydraulic System Fluid : WIRTGEN GROUP HYDRAULIC OIL HVLP 46 (58 GAL)	Machine Age : 1401.0 Fluid Age : 1401.0 Filter Age : 645.0 Fluid Maintenance : Not Changed Filter Maintenance : Changed
	*Label : 377277 Sample Number : LEC0042256 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Pump Drive Fluid : WIRTGEN GROUP 75W90 (1 GAL)	Machine Age : 1401.0 Fluid Age : 645.0 Filter Age : Fluid Maintenance : Changed Filter Maintenance : Not Changed
	*Label : 377278 Sample Number : LEC0042257 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Discharge Gearbox Fluid : WIRTGEN GROUP 75W90 (1 GAL)	Machine Age : 1401.0 Fluid Age : 645.0 Filter Age : Fluid Maintenance : Changed Filter Maintenance : Not Changed
	*Label : 377279 Sample Number : LEC0042258 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Left Propel Gearbox Fluid : WIRTGEN GROUP 75W90 (1 GAL)	Machine Age : 1401.0 Fluid Age : 645.0 Filter Age : Fluid Maintenance : Changed Filter Maintenance : N/A
	*Label : 377280 Sample Number : LEC0042259 Test Package : CONST Sample Date : 07/18/2023	Area : Store 8 - Pikeville Machine Id : KLEEMANN MC100Ri K011.0035 Component : Right Propel Gearbox Fluid : WIRTGEN GROUP 75W90 (1 GAL)	Machine Age : 1401.0 Fluid Age : 645.0 Filter Age : Fluid Maintenance : Changed Filter Maintenance : N/A